

US00D394545S

United States Patent [19]
MacDonald

[11] **Patent Number: Des. 394,545**
[45] **Date of Patent: **May 26, 1998**

[54] **KEY RING HOLDER**

[76] **Inventor: Sumner MacDonald, 44 Ballou Blvd.,
Bristol, R.I. 02809**

[**] **Term: 14 Years**

[21] **Appl. No.: 70,893**

[22] **Filed: May 6, 1997**

[51] **LOC (6) Cl. 03-01**

[52] **U.S. Cl. D3/207**

[58] **Field of Search D3/207-211, 221;
24/3.6; 70/456 R. 457, 458, 460**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 237,817	11/1975	Foreman	D11/79
D. 238,976	2/1976	Dolas	D3/208
D. 338,617	8/1993	Song	D3/210
D. 357,114	4/1995	MacDonald	D3/207
D. 359,844	7/1995	MacDonald	D3/207
4,166,489	9/1979	Lemelson	D3/207
5,174,139	12/1992	Huang	70/459 X

Primary Examiner—Ralf Seifert

Attorney, Agent, or Firm—Robert J. Doherty


[57] **CLAIM**

The ornamental design for a key ring holder, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a key ring holder showing my new design;
 FIG. 2 is a rear elevational view thereof;
 FIG. 3 is a left side elevational view thereof; the right side elevational view being the mirror image thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a front elevational view of a modified form of a key ring holder from that shown in FIG. 1;
 FIG. 7 is a rear elevational view of FIG. 6;
 FIG. 8 is a left side elevational view of FIG. 6, the right side elevational view being the mirror image thereof;
 FIG. 9 is a top plan view of FIG. 6; and,
 FIG. 10 is a bottom plan view of FIG. 6.
 The broken line showing of key rings in FIGS. 1 and 6 are for illustrative purposes and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9



FIG. 10