



US00D394692S

**United States Patent** [19]  
**Edwards**

[11] **Patent Number: Des. 394,692**  
[45] **Date of Patent: \*\*May 26, 1998**

[54] **ADJUSTABLE GOLF TEE PLACEMENT TOOL**

[76] **Inventor: Douglas Richard Edwards, 3260 ST Rte. 42, Cardington, Ohio 43315**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 70,680**

[22] **Filed: May 13, 1997**

[51] **LOC (6) Cl. .... 21-02**

[52] **U.S. Cl. .... D21/234**

[58] **Field of Search ..... D21/234; 473/284, 473/285, 286**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 331,091	11/1992	Naples	.....	D21/234
D. 348,500	7/1994	Mortenson et al.	.....	D21/234
D. 364,912	12/1995	Sowers	.....	D21/234
D. 368,508	4/1996	Garrett	.....	D21/234
D. 373,401	9/1996	Schempp	.....	D21/234
3,583,016	6/1971	McConnell	.....	D21/234
4,955,609	9/1990	Kassen	.....	473/286

**OTHER PUBLICATIONS**

Signatures; Ball caddy, Jan. 1992.

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—Mitchell I. Siegel

[57] **CLAIM**

The ornamental design for a adjustable golf tee placement tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a front plan view of the adjustable golf tee placement tool of the present invention;

FIG. 2 is a back plan view of the adjustable golf tee placement tool of FIG. 1;

FIG. 3 is a left side plan view of the adjustable golf tee placement tool of FIG. 1;

FIG. 4 is a right side plan view of the adjustable golf tee placement tool of FIG. 1;

FIG. 5 is a top plan view of the adjustable golf tee placement tool of FIG. 1; and,

FIG. 6 is a bottom plan view of the adjustable golf tee placement tool of FIG. 1.

The broken line showing on FIG. 2 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

