



US00D394694S

United States Patent [19]
Bolack

[11] **Patent Number:** **Des. 394,694**
[45] **Date of Patent:** ****May 26, 1998**

[54] **TRAP RETAINER**

[76] **Inventor:** **Tommy Bolack**, P.O. Box 2059,
Farmington, N. Mex. 87499

[**] **Term:** **14 Years**

[21] **Appl. No.:** **64,712**

[22] **Filed:** **Jan. 9, 1997**

[51] **LOC (6) Cl.** **22-06**

[52] **U.S. Cl.** **D22/119**

[58] **Field of Search** D22/119; 43/96,
43/87, 85, 86, 58

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 318,897	8/1991	Russell		D22/119
1,030,165	6/1912	Crites		43/96
1,201,427	10/1916	Angvick		43/96
1,970,672	8/1934	Prestenback		43/96
2,513,130	6/1950	Arnest		43/96
2,583,749	1/1952	Roberts		43/96

4,357,776 11/1982 Knaak 43/96

Primary Examiner—Doris V. Coles
Attorney, Agent, or Firm—Jeffrey D. Myers; Deborah A. Peacock


[57] **CLAIM**

The ornamental design for a trap retainer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a trap retainer, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line showing of a signal flag in FIGS. 1-7 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7