



US00D394709S

# United States Patent [19]

Toyama

[11] Patent Number: **Des. 394,709**

[45] Date of Patent: **\*\*May 26, 1998**

[54] ROTOR FOR CENTRIFUGAL MACHINE

[75] Inventor: **Masami Toyama**, Kawaguchi, Japan

[73] Assignee: **Kabushiki Kaisha Tomy Seikou**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **62,929**

[22] Filed: **Dec. 4, 1996**

[30] **Foreign Application Priority Data**

Jun. 7, 1996 [JP] Japan ..... 8-17005

[51] LOC (6) Cl. .... **24-01**

[52] U.S. Cl. .... **D24/219**

[58] Field of Search ..... D24/216, 219, D24/224, 227; 436/45; 68/23 R; 211/14, 74, 73, 78, 129, 163

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 231,981 7/1974 Paulsen ..... D24/219

D. 303,147 8/1989 Ota ..... D24/219  
D. 337,165 7/1993 Malinoff ..... D24/227  
3,062,380 11/1962 Grela et al. .... 211/73  
4,411,868 10/1983 Noack ..... 211/74 X

*Primary Examiner*—Stella Reid  
*Attorney, Agent, or Firm*—Varndell Legal Group


[57] **CLAIM**

The ornamental design a for rotor for centrifugal machine, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the rotor for centrifugal machine showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof, the left side elevational view being identical thereto;  
FIG. 5 is a top plan view thereof, the bottom plan view being identical thereto;  
FIG. 6 is a sectional view taken along line 6—6 of FIG. 2; and,  
FIG. 7 is a sectional view taken along line 7—7 of FIG. 2.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7