



US00D394756S

**United States Patent** [19]  
**Gryp et al.**

[11] **Patent Number: Des. 394,756**  
[45] **Date of Patent: \*\*Jun. 2, 1998**

[54] **SEAT**

[75] **Inventors: Dennis Gryp, East Moline, Ill.;  
Edward Stulik, Roseville, Calif.**

[73] **Assignee: Sears Manufacturing Company,  
Davenport, Iowa**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 72,524**

[22] **Filed: Jun. 19, 1997**

[51] **LOC (6) Cl. .... 06-01**

[52] **U.S. Cl. .... D6/356**

[58] **Field of Search ..... D6/334, 335, 356,  
D6/367, 500, 501, 502; 297/452.24, 452.26,  
452.34, 452.35**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 273,540	4/1984	Wagner et al. ....	D6/356
D. 282,609	2/1986	Stulik .....	D6/356
D. 330,118	10/1992	Lanius et al. ....	D6/356
D. 371,465	7/1996	Stulik .....	D6/356
D. 385,709	11/1997	Gryp .....	D6/356

*Primary Examiner*—Gary D. Watson  
*Attorney, Agent, or Firm*—Niro, Scavone, Haller & Niro

[57] **CLAIM**

The ornamental design for a seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and left perspective view of the claimed seat;

FIG. 2 is a front perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 3 is a rear perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 4 is a right side perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 5 is a left side perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 6 is a top, front, perspective view of the embodiment of the seat as illustrated in FIG. 1; and,

FIG. 7 is a bottom, rear perspective view of the seat as illustrated in FIG. 1.

The fragmented cross-hatching shown in all views is understood to represent fabric which would be continuous throughout the implied areas.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

