



US00D394788S

United States Patent [19]
Drummond

[11] **Patent Number: Des. 394,788**
[45] **Date of Patent: **Jun. 2, 1998**

[54] **WHEEL ALIGNMENT DEVICE**
[76] **Inventor: George G. Drummond.** Merrill Field
Propeller, 2301 Merrill Field Dr., Suite
E. Anchorage, Ak. 99501

3,348,294 10/1967 Gerardi 29/273
3,389,453 6/1968 Tarter et al. 29/273
3,828,955 8/1974 Harkey .
4,097,979 7/1978 Interdonato 29/273
4,768,279 9/1988 Lafferty .
5,581,866 12/1996 Barkus 29/273

[**] **Term: 14 Years**

Primary Examiner—Ted Shooman
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Porter, Wright, Morris & Arthur

[21] **Appl. No.: 58,737**

[22] **Filed: Aug. 22, 1996**

[57] **CLAIM**

[51] **LOC (6) Cl. 08-05**

[52] **U.S. Cl. D8/14**

[58] **Field of Search D8/14, 31, 47,
D8/88; 29/273**

The ornamental design for a wheel alignment device, as shown and described.

DESCRIPTION

[56] **References Cited**


U.S. PATENT DOCUMENTS

D. 215,997 11/1969 McCoy D8/31
D. 241,803 10/1976 Amiot D8/14
3,041,649 7/1962 Isenhour 15/236.05
3,048,919 8/1962 Bald 29/273

FIG. 1 is a perspective view of a wheel alignment device showing my new design; and,

FIG. 2 is an enlarged left side elevational view thereof, the right side elevational view being a mirror image.

1 Claim, 2 Drawing Sheets






Figure 1




Figure 2