

US00D394814S

United States Patent [19]

Chen

[11] Patent Number: Des. 394,814

[45] Date of Patent: **Jun. 2, 1998

[54]	CLOCK AND BUSINESS CARD HOLDER		
[75]	Inventor:	Steven H. Chen, San Jose, Calif.	
[73]	Assignee:	Assurance Industries Co., Inc Fremont, Calif.	
[**]	Term:	14 Years	
[21]	Appl. No.:	69,924	
[22]	Filed:	Apr. 25, 1997	
[51]	LOC (6) (Cl 10-01	
[52]	U.S. Cl	D10/2 ; D10/23; D19/90; D19/36; D19/86	
[58]		earch	
		368/276, 277, 285, 316, 317, 10; D19/65, 75, 78, 86, 90, 92, 95, 99, 100; 211/10,	
		11, 13	

[56] References Cited

U.S. PATENT DOCUMENTS

D. 62,535	6/1923	Morris
D. 193,568	9/1962	Hammer D10/23
D. 201,452	6/1965	Shipley.
D. 279,764	7/1985	Rhoades D10/23
D. 363,433	10/1995	Caraballo
D. 379,435	5/1997	Hsu
D. 381,917	8/1997	McCue et al

Primary Examiner—Martie Thompson Attorney, Agent, or Firm—John J. Leavitt

[57] CLAIM

The ornamental design for a clock and business card holder, as shown and described.

DESCRIPTION

FIG. 1 is an enlarged perspective view of a first embodiment of the clock and business card holder;

FIG. 2 is a front elevational view of the first embodiment illustrated in FIG. 1;

FIG. 3 is a left side elevational view of the first embodiment illustrated in FIG. 2;

FIG. 4 is a right side elevational view of the first embodiment illustrated in FIG. 2;

FIG. 5 is a top plan view of the first embodiment illustrated in FIG. 2;

FIG. 6 is a bottom plan view of the first embodiment illustrated in FIG. 2;

FIG. 7 is a rear elevational view of the first embodiment illustrated in FIG. 2;

FIG. 8 is an enlarged perspective view of a second embodiment of the invention:

FIG. 9 is a front elevational view of the second embodiment illustrated in FIG. 8;

FIG. 10 is a left side elevational view of the second embodiment illustrated in FIG. 9;

FIG. 11 is a right side elevational view of the second embodiment illustrated in FIG. 9;

FIG. 12 is a top plan view of the second embodiment illustrated in FIG. 9;

FIG. 13 is a bottom plan view of the second embodiment illustrated in FIG. 2;

FIG. 14 is a rear elevational view of the second embodiment illustrated in FIG. 9;

FIG. 15 is an enlarged perspective view of a third embodiment of the invention;

FIG. 16 is a front elevational view of the third embodiment illustrated in FIG. 15;


FIG. 17 is a left side elevational view of the third embodiment illustrated in FIG. 16;


FIG. 18 is a right side elevational view of the third embodiment illustrated in FIG. 16;

FIG. 19 is a top plan view of the third embodiment illus-

trated in FIG. 16; FIG. 20 is a bottom plan view of the third embodiment

illustrated in FIG. 16; and, FIG. 21 is a rear elevational view of the third embodiment illustrated in FIG. 16.









FIG. 5









FIG. 6





Jun. 2, 1998

FIG. 12








FIG. 13



Jun. 2, 1998

FIG. 19






FIG. 20

