



US00D395057S

United States Patent [19] Peschel

[11] Patent Number: **Des. 395,057**
[45] Date of Patent: ****Jun. 9, 1998**

[54] **EYEWEAR LENS FRONT**
[75] Inventor: **David K. Peschel**, San Francisco, Calif.
[73] Assignee: **Nike, Inc.**, Beaverton, Oreg.
[**] Term: **14 Years**
[21] Appl. No.: **68,273**
[22] Filed: **Mar. 25, 1997**
[51] **LOC (6) Cl.** **16-06**
[52] **U.S. Cl.** **D16/315**
[58] **Field of Search** **D16/101, 300,**
D16/304, 306, 311-330; 351/41, 44, 51,
52, 47-48, 57-59, 103, 158; 2/447, 448

4,240,718 12/1980 Wichers .
4,886,349 12/1989 Willis .
5,321,444 6/1994 Lin .
5,387,949 2/1995 Tackles .

FOREIGN PATENT DOCUMENTS

1262034 of 1960 France .

OTHER PUBLICATIONS

Christian Dior Lunettes, top of page, Feb. 27, 1984.
Review of Optometry, Aug. '87, p. 97.
Nikon Sunglasses Catalog 1989, p. 4.

Primary Examiner—Raphael Barkai
Attorney, Agent, or Firm—Shook, Hardy & Bacon L.L.P.

[57] CLAIM

The ornamental design for an eyewear lens front, as shown and described.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 47,916 10/1915 Fenno .
- D. 136,096 8/1943 Chaney .
- D. 140,506 3/1945 Joyce .
- D. 175,688 9/1955 Kono, Jr. .
- D. 193,252 7/1962 Baratelli .
- D. 195,311 5/1963 McNeill .
- D. 197,418 1/1964 Lissac .
- D. 198,643 7/1964 Wilson et al. .
- D. 200,391 2/1965 Baratelli .
- D. 245,169 7/1977 Teufelhart .
- D. 281,074 10/1985 Levoy .
- D. 301,482 6/1989 Chodat .
- D. 302,020 7/1989 Haas .
- D. 322,975 1/1992 Bolle .
- D. 329,442 9/1992 Jannard .
- D. 334,390 3/1993 Conway .
- D. 354,970 1/1995 Bolle .
- D. 359,749 6/1995 Yee .
- D. 367,666 3/1996 Conway .
- D. 367,667 3/1996 Simioni .
- D. 368,109 3/1996 Lei .
- D. 369,375 4/1996 Jannard et al. .
- D. 370,021 5/1996 Simioni et al. .
- D. 370,022 5/1996 Simioni .
- D. 371,381 7/1996 Simioni .
- D. 373,372 9/1996 Simioni .
- 1,942,298 1/1934 Le Doux .
- 2,211,084 8/1940 Styll .
- 2,436,606 2/1948 Rohrbach .
- 2,537,047 1/1951 Gatten .
- 3,261,652 7/1966 Magnus .

DESCRIPTION

FIG. 1 is a front perspective view of the eyewear lens front according to the present invention;
FIG. 2 is a side elevation view of one side of the eyewear lens front of FIG. 1, the other side being a mirror image thereof;
FIG. 3 is a rear elevation view of the eyewear lens front of FIG. 1;
FIG. 4 is a bottom plan view of the eyewear lens front of FIG. 1;
FIG. 5 is a front elevation view of the eyewear lens front of FIG. 1;
FIG. 6 is a front perspective view of an alternative embodiment of the eyewear lens front according to the present invention;
FIG. 7 is a side elevation view of one side of the eyewear lens front of FIG. 6, the other side being a mirror image thereof;
FIG. 8 is a rear elevation view of the eyewear lens front of FIG. 6;
FIG. 9 is a bottom plan view of the eyewear lens front of FIG. 6; and
FIG. 10 is a front elevation view of the eyewear lens front of FIG. 6.
The broken line showing the nosepiece is for illustrative purposes and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.

