



US00D395221S

United States Patent [19]

Ryan et al.

[11] Patent Number: Des. 395,221

[45] Date of Patent: **Jun. 16, 1998

[54] SPARE TIRE ANTI-THEFT DEVICE

[76] Inventors: Douglas R. Ryan, 442 August Dr., Fostoria, Mich. 48435; Earl E. Lay, 759 W. Oxhill Rd., White Lake, Mich. 48386

[**] Term: 14 Years

[21] Appl. No.: 57,148

[22] Filed: Jul. 17, 1996

[51] LOC (6) Cl. 08-07

[52] U.S. Cl. D8/330

[58] Field of Search D8/330, 331, 343, D8/339, 341; 70/14, 51, 57, 58, 158, 225-231, 237, 258, 259

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 268,090 3/1983 Shanklin D8/331
4,988,023 1/1991 Heathcoat 70/259 X

5,426,963 6/1995 Tafoya et al. 70/259
5,477,711 12/1995 Oliveri 70/259 X
5,638,710 6/1997 Howard, Jr. et al. 70/259
5,638,711 6/1997 Schotthoefer 70/259

Primary Examiner—Brian N. Vinson

[57] **CLAIM**

The ornamental design for a spare tire anti-theft device, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a spare tire anti-theft device showing our new design, the broken-line disclosure of a portion of a key being for illustrative purposes only and forming no part of the claimed design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a top plan view thereof; and, FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

