



US00D395257S

United States Patent [19]
Gusky

[11] **Patent Number: Des. 395,257**

[45] **Date of Patent: **Jun. 16, 1998**

[54] **JEWELRY PENDANT**

[75] **Inventor: Michael Gusky, Fort Lauderdale, Fla.**

[73] **Assignee: Aurafin Corporation, Sunrise, Fla.**

[**] **Term: 14 Years**

[21] **Appl. No.: 60,952**

[22] **Filed: Oct. 11, 1996**

Related U.S. Application Data

[62] **Division of Ser. No. 47,769, Dec. 12, 1995.**

[51] **LOC (6) Cl. 11-01**

[52] **U.S. Cl. D11/81**

[58] **Field of Search D11/1-2, 6-8,
D11/40-44, 46-48, 79-116; 63/1.1, 2, 20,
18, 13**

[56] **References Cited**

U.S. PATENT DOCUMENTS

46,369	9/1865	Ramey	D11/81
98,707	2/1870	Anderson	D11/81
D. 98,708	2/1936	Anderson	D11/81
D. 101,105	9/1936	Chernow	D11/61
D. 114,580	5/1939	Shields	D11/29
D. 229,301	11/1973	Patterson	D11/81
D. 242,573	11/1976	Kelman	D11/43
D. 249,936	10/1978	Lohan	D11/61
D. 266,748	11/1982	Vandoni	D11/61
D. 344,687	3/1994	Nikolai	D11/6
2,689,423	9/1954	Atkin	40/1.6
4,879,882	11/1989	Johnson et al.	63/13

Primary Examiner—Ralf Seifert

Attorney, Agent, or Firm—Malin, Haley, DiMaggio & Crosby, P.A.

[57] **CLAIM**


The ornamental design of the jewelry pendant, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the "1" embodiment

which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 2 is a front elevational view of the "2" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 3 is a front elevational view of the "3" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 4 is a front elevational view of the "4" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 5 is a front elevational view of the "5" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 6 is a front elevational view of the "6" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 7 is a front elevational view of the "7" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 8 is a front elevational view of the "8" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 9 is a front elevational view of the "9" embodiment which is identical to the rear elevational view, top plan view and bottom plan view of this embodiment;
 FIG. 10 is a perspective view of the "1" embodiment of the present invention;
 FIG. 11 is a perspective view of the "2" embodiment of the present invention;
 FIG. 12 is a perspective view of the "3" embodiment of the present invention;
 FIG. 13 is a perspective view of the "4" embodiment of the present invention;
 FIG. 14 is a perspective view of the "5" embodiment of the present invention;
 FIG. 15 is a perspective view of the "6" embodiment of the present invention;
 FIG. 16 is a perspective view of the "7" embodiment of the present invention;
 FIG. 17 is a perspective view of the "8" embodiment of the present invention; and,
 FIG. 18 is a perspective view of the "9" embodiment of the present invention.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18

