



US00D395410S

United States Patent [19]
Harrison

[11] **Patent Number: Des. 395,410**

[45] **Date of Patent: **Jun. 23, 1998**

[54] **TIMEPIECE FACE DISPLAY**

[76] Inventor: **Robert E. Harrison**, P.O. Box 1541,
Pittsfield, Mass. 01202

[**] Term: **14 Years**

[21] Appl. No.: **50,918**

[22] Filed: **Feb. 29, 1996**

[51] **LOC (6) Cl. 10-07**

[52] **U.S. Cl. D10/126; D10/125**

[58] **Field of Search D10/122, 123,
D10/125, 126, 127, 1, 25, 30, 37, 38, 39;
368/72, 82, 223, 228, 229, 231-233, 239-242**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 145,610	9/1946	Banick	D10/1	X
D. 205,596	8/1966	Marti et al.	D10/30	X
D. 210,894	4/1968	Summers	D10/30	X
D. 277,829	3/1985	Leger	D10/30	X
D. 278,038	3/1985	Onodera	D10/37	
D. 290,936	7/1987	Hill	D10/25	
D. 322,415	12/1991	Ritchie	D10/126	
2,886,942	5/1959	Stucky	368/233	

Primary Examiner—James Gandy

Assistant Examiner—Cathron B. Matta

Attorney, Agent, or Firm—Barry G. Magidoff of Reid &
Priest LLP

[57] **CLAIM**

The ornamental design for a timepiece face display, as shown and described.

DESCRIPTION

FIG. 1 is a front plan view of a timepiece face display showing my new design in an energized condition, at which time displayed is 3:43;

FIG. 2 is a front plan view of a second embodiment of my new design, showing a typical time indication of 8:15;

FIG. 3 is a front plan view of the first embodiment of my design showing the face in a fully energized condition, with all the elements of the display in an activated condition;

FIG. 4 is a typical side elevation of the first embodiment of my design;

FIG. 5 is a front plan view of the first embodiment of my design, in an unenergized condition;

FIG. 6 is a front plan view of a third embodiment of my new design, showing a typical time indication of 9:38 and 9 seconds;

FIG. 7 is a front plan view of a fourth embodiment of my new design, showing a typical time indication of 1:24 and 42 seconds;


FIG. 8 is a front plan view of the third embodiment of my design showing the face in a fully energized condition, with all the elements of the display in an activated condition;

FIG. 9 is a typical side elevation view of the third embodiment of my design; and,

FIG. 10 is a front plan view of the third embodiment of my design, in an unenergized condition.

The rear of the timepiece face display is flat and unornamented. The sides of the second and fourth embodiments are substantially the same as the first and third embodiments, except that they are flat, not rounded.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10