



US00D395418S

# United States Patent [19]

[11] **Patent Number: Des. 395,418**

**Darlas**

[45] **Date of Patent: \*\*Jun. 23, 1998**

[54] **STRESS RELEASE BRAKE PAD**

[76] Inventor: **Debbie Darlas**, 487 Old Forge Rd.,  
Kent, Ohio 44240

[\*\*] Term: **14 Years**

[21] Appl. No.: **61,553**

[22] Filed: **Oct. 25, 1996**

[51] **LOC (6) Cl.** ..... **12-16**

[52] **U.S. Cl.** ..... **D12/180**

[58] **Field of Search** ..... D12/180, 110,  
D12/111; 188/73.1, 344, 250 B, 24.12,  
24.22, 24.21, 24.18, 24.16; 74/488, 489,  
502.2

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

4,667,778	5/1987	Ozaki	.....	188/24.18	X
4,960,187	10/1990	Chi	.....	188/24.12	
5,060,534	10/1991	Yoshigai	.....	74/502.2	
5,113,975	5/1992	Zucchero	.....	188/24.12	
5,503,253	4/1996	Li	.....	188/24.12	
5,615,753	4/1997	Wang	.....	188/24.12	

**OTHER PUBLICATIONS**

American Buyerlist & Motorigilist, Jul. 1987, p. 14, the Febrax brake blocks, (A) & (B).

*Primary Examiner*—Melody N. Brown


[57] **CLAIM**

The ornamental design for a stress release brake pad, as shown.


**DESCRIPTION**

FIG. 1 is a front plan view of the stress release brake pad of the present invention;  
FIG. 2 is a rear plan view of the stress release brake pad of FIG. 1;  
FIG. 3 is a left side plan view of the stress release brake pad of FIG. 1;  
FIG. 4 is a right side plan view of the stress release brake pad of FIG. 1;  
FIG. 5 is a top plan view of the stress release brake pad of FIG. 1; and,  
FIG. 6 is a bottom plan view of the stress release brake pad, of FIG. 1.


**1 Claim, 3 Drawing Sheets**




*FIG. 1*



*FIG. 2*



*FIG. 3*



*FIG. 4*




FIG. 5




FIG. 6

