



US00D395558S

United States Patent [19]

Gryp et al.

[11] **Patent Number: Des. 395,558**

[45] **Date of Patent: **Jun. 30, 1998**

[54] **SEAT**

[75] Inventors: **Dennis Gryp**, East Moline, Ill.;
Edward Stulik, Roseville, Calif.

[73] Assignee: **Sears Manufacturing Company**,
Davenport, Iowa

[**] Term: **14 Years**

[21] Appl. No.: **72,511**

[22] Filed: **Jun. 19, 1997**

[51] **LOC (6) Cl.** **06-01**

[52] **U.S. Cl.** **D6/356**

[58] **Field of Search** D6/334, 335, 356,
D6/367, 500, 501, 502; 297/452.24, 452.26,
452.34, 452.35

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 180,392	6/1957	Del Giudice	D6/356
D. 264,774	6/1982	McGirk et al.	D6/356
D. 273,540	4/1984	Wagner et al.	D6/356
D. 282,609	2/1986	Stulik	D6/356
D. 330,118	10/1992	Lanius et al.	D6/356
D. 371,465	7/1996	Stulik	D6/356

D. 385,709 11/1997 Gryp D6/356

Primary Examiner—Gary D. Watson
Attorney, Agent, or Firm—Niro, Scavone, Haller & Niro

[57] **CLAIM**

The ornamental design for a seat, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left perspective view of the claimed seat;

FIG. 2 is a front perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 3 is a rear perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 4 is a right side perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 5 is a left side perspective view of the embodiment of the seat as illustrated in FIG. 1;

FIG. 6 is a top, front, perspective view of the embodiment of the seat as illustrated in FIG. 1; and,

FIG. 7 is a bottom, rear perspective of the seat as illustrated in FIG. 1.

The fragmented cross-hatching shown in all views is understood to represent fabric which would be continuous throughout the implied areas.

1 Claim, 4 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3





FIG. 6




FIG. 7

