

US00D395665S

United States Patent [19]

Matsumura et al.

[11] **Patent Number: Des. 395,665**

[45] **Date of Patent: **Jun. 30, 1998**

[54] **CAMERA**

[75] Inventors: **Yoshiyuki Matsumura**, Yokosuka;
Akihiko Ebe, Yokohama, both of Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **75,145**

[22] Filed: **Aug. 13, 1997**

[30] **Foreign Application Priority Data**

Feb. 19, 1997 [JP] Japan 9-004720

[51] **LOC (6) Cl.** **16-01**

[52] **U.S. Cl.** **D16/209; D16/218**

[58] **Field of Search** **D16/200-205,**
D16/208, 209, 216-218; 396/535-543,
448

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 257,850 1/1981 Matsumoto D16/218

D. 320,610 10/1991 Chan D16/209
D. 340,736 10/1993 Leung D16/218
D. 359,746 6/1995 Katayama D16/209
D. 360,218 7/1995 Igarashi et al. D16/209
4,556,304 12/1985 Fukuda 396/448

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a camera showing our new design; FIG. 2 is a rear view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof; and, FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

