



US00D395711S

United States Patent [19]

[11] **Patent Number: Des. 395,711**

Boyce

[45] **Date of Patent: **Jun. 30, 1998**

[54] **STRUCTURAL MEMBER**

D. 327,332 6/1992 Clark D25/124
D. 365,746 1/1996 Chudoba et al. D25/125

[76] Inventor: **Peter Anthony Boyce**, Barton Hall,
Dunstall Road, Barton under Needwood,
Staffordshire, DE13 8AD, United
Kingdom

Primary Examiner—Doris Clark
Attorney, Agent, or Firm—Smith-Hill and Bedell

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **58,696**

The ornamental design for a structural member, as shown and described.

[22] Filed: **Aug. 21, 1996**

DESCRIPTION

[30] **Foreign Application Priority Data**

Feb. 23, 1996 [GB] United Kingdom 2054381

FIG. 1 is an end view of the structural member embodying my design;

[51] **LOC (6) Cl.** **25-01**

FIG. 2 is a perspective view from a first side of the structural member, the structural member being of indefinite length and of constant cross-section throughout; and,

[52] **U.S. Cl.** **D25/123; D25/124; D25/125**

[58] **Field of Search** D25/122, 123,
D25/124, 125; 52/721.2, 720.1, 729.1, 729.3


FIG. 3 is a perspective view from the other side of the structural member.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 318,926 8/1991 Gibbs D25/123

1 Claim, 3 Drawing Sheets






FIG.1




FIG.2



FIG.3