

US00D395727S

# United States Patent [19]

Thorton, Jr.

[11] Patent Number: Des. 395,727

[45] Date of Patent: \*\*Jun. 30, 1998

[54] **FLUORESCENT LIGHTING FIXTURE**

[75] Inventor: **Peter F. Thorton, Jr.**, Hinsdale, Ill.

[73] Assignee: **Focal Point Lighting**, Alsip, Ill.

[\*\*] Term: **14 Years**

[21] Appl. No.: **69,909**

[22] Filed: **Apr. 24, 1997**

[51] **LOC (6) Cl.** ..... **26-05**

[52] **U.S. Cl.** ..... **D26/76**

[58] **Field of Search** ..... D26/74-78; 362/147, 362/148, 217, 222, 223, 224, 364, 365, 346, 347

## [56] **References Cited**

### U.S. PATENT DOCUMENTS

2,526,074	10/1950	Guth	.....	D26/76 X
3,560,729	2/1971	Liberman	.....	362/347 X
5,570,947	11/1996	Felland	.....	362/148

### OTHER PUBLICATIONS

Litewave<sup>22</sup>, Litecontrol brochure (1996).  
 Modular System, Nordex Lighting brochure (1993).  
 Disano Illuminazione, Lüderitz Licht brochure. Before Filing Date.  
 2AV 2x2 Direct/Indirect, General Lighting, Lithonia Lighting Commercial and Industrial Fluorescent Lighting brochure (1996).  
 IDLS Indirect/Direct Lighting Systems, Mark Lighting brochure. (Before Filing Date).

*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

## [57] **CLAIM**

The ornamental design for a fluorescent lighting fixture, as shown and described.

## **DESCRIPTION**

FIG. 1 is an top oblique view of a first recessed fluorescent lighting fixture embodiment of my new design;

FIG. 2 is a top view of the fixture shown in FIG. 1;  
 FIG. 3 is a first end view of the fixture shown in FIG. 1;  
 FIG. 4 is a first side view of the fixture shown in FIG. 1;  
 FIG. 5 is a second end view of the fixture shown in FIG. 1, opposite from the first end view of FIG. 3;  
 FIG. 6 is a second side view of the fixture shown in FIG. 1, opposite from the first side view of FIG. 4;  
 FIG. 7 is a bottom view of the fixture shown in FIG. 1, opposite from the top view of FIG. 2;  
 FIG. 8 is an top oblique view of a second recessed fluorescent lighting fixture embodiment of my new design;  
 FIG. 9 is a top view of the fixture shown in FIG. 8;  
 FIG. 10 is a first end view of the fixture shown in FIG. 8;  
 FIG. 11 is a first side view of the fixture shown in FIG. 8;  
 FIG. 12 is a second end view of the fixture shown in FIG. 8, opposite from the first end view of FIG. 10;  
 FIG. 13 is a second side view of the fixture shown in FIG. 8, opposite from the first side view of FIG. 11;  
 FIG. 14 is a bottom view of the fixture shown in FIG. 8, opposite from the top view of FIG. 9;  
 FIG. 15 is an oblique view of a third recessed fluorescent lighting fixture embodiment of my new design;  
 FIG. 16 is a top view of the fixture shown in FIG. 15;  
 FIG. 17 is a first end view of the fixture shown in FIG. 15;  
 FIG. 18 is a first side view of the fixture shown in FIG. 15;  
 FIG. 19 is a second end view of the fixture shown in FIG. 15, opposite from the first end view of FIG. 17;  
 FIG. 20 is a second side view of the fixture shown in FIG. 15, opposite from the first side view of FIG. 18; and,  
 FIG. 21 is a bottom view of the fixture shown in FIG. 15, opposite from the top view of FIG. 16.  
 FIGS. 1, 2, 4, 6-9, 11, 13-16, 18, 20 and 21 are broken away to indicate indeterminate length.  
 The broken lines are shown for illustrative purposes and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7






FIG. 8




FIG. 9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG. 15




FIG. 16




FIG.17




FIG.18




FIG.19




FIG.20





FIG.21



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 395,727

DATED : June 30, 1998

INVENTOR(S) : Peter F. Thornton, Jr.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, item [19] and [75] Inventor, reads "Thorton" should read --Thornton--.

Signed and Sealed this  
Tenth Day of November 1998

*Attest:*



**BRUCE LEHMAN**

*Attesting Officer*

*Commissioner of Patents and Trademarks*