



US00D395736S

United States Patent [19]

[11] Patent Number: **Des. 395,736**

Walters

[45] Date of Patent: ****Jul. 7, 1998**

[54] APRON ASSEMBLY

FOREIGN PATENT DOCUMENTS

[76] Inventor: **John Walters**, 425 Friday Rd.,
Pittsburgh, Pa. 15209

246241 12/1946 Switzerland 2/48

[**] Term: **14 Years**

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A. Weingart

[21] Appl. No.: **70,208**

[57] CLAIM

[22] Filed: **May 2, 1997**

The ornamental design for a apron ssembly, as shown and described.

[51] LOC (6) Cl. **02-02**

DESCRIPTION

[52] U.S. Cl. **D2/864; D2/861; D2/860**

FIG. 1 is a front plan view of the apron assembly of the present invention;

[58] Field of Search **D2/860, 861, 862,**

D2/863, 864; 2/46, 48, 49.1, 49.2, 50, 51,

67, 74, 75, 88, 104, 406

FIG. 2 is a back plan view of the apron assembly of FIG. 1;
FIG. 3 is a left side plan view of the apron assembly of FIG. 1;

[56] References Cited

U.S. PATENT DOCUMENTS

D. 299,680	2/1989	Ochsner	D2/864
D. 364,726	12/1995	Kosc	D2/861 X
1,816,566	7/1931	Burstein et al.	2/48
2,410,639	11/1946	Dorcey	2/48
2,453,202	11/1948	Densmore	D2/864 X
3,210,773	10/1965	Lewis	2/48
3,428,962	2/1969	Slimovitz	2/48

FIG. 4 is a right side plan view of the apron assembly of FIG. 1;

FIG. 5 is a top plan view of the apron assembly of FIG. 1; and,

FIG. 6 is a bottom plan view of the apron assembly of FIG. 1.

The straps in FIGS. 1, 2, 5, and 6, shown broken away for ease of illustration are of indeterminate length.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6

