



US00D395809S

United States Patent [19]

Brown et al.

[11] Patent Number: Des. 395,809

[45] Date of Patent: **Jul. 7, 1998

[54] TIRE IRON

[75] Inventors: William P. Brown, Doylestown; Jack A. Cameron, Hudson, both of Ohio

[73] Assignee: Summit Tool Company, Akron, Ohio

[**] Term: 14 Years

[21] Appl. No.: 70,219

[22] Filed: May 2, 1997

[51] LOC (6) Cl. 08-05

[52] U.S. Cl. D8/31

[58] Field of Search D8/31, 14, 88, D8/89; 81/15.2; 7/100; 157/1.3

[56] References Cited

U.S. PATENT DOCUMENTS

D. 134,799	1/1943	Taylor	D8/31
D. 158,110	4/1950	Lutz	D8/31
5,213,146	5/1993	Onozawa	157/1.3
5,343,921	9/1994	Kusner	157/1.3

OTHER PUBLICATIONS

LC. Whitney & Co, Catalog 564J, p. 163, Spoon-Type Tire Irons. ©1994.

Melco, product literature, pp. 24-25, with cover page, Sheffield, England. Date of publication is unknown, but is sufficiently earlier than the effective U.S. filing date of the application.

Stahlwill, Price-list E '92/0, p. 26, 1992.

Gedore, D89 Ihr Werkzeug-Partner, p. 65. Date of publication is unknown, but is sufficiently earlier than the effective U.S. filing date of the application.

Hazet, English Edition Catalogue 79/80, p. 43, 1979.

Primary Examiner—Philip S. Hyder

Assistant Examiner—Richelle Shelton

Attorney, Agent, or Firm—Renner, Kenner, Greive, Bobak, Taylor & Weber

[57] CLAIM

The ornamental design for a tire iron, as shown and described.

DESCRIPTION

FIG. 1 is a fragmentary perspective view of a tire iron showing our new design, the tire iron being broken in the center to disclose indeterminate length;

FIG. 2 is a fragmentary top plan view thereof, the tire iron being broken in the center to disclose indeterminate length;

FIG. 3 is a fragmentary side elevational view thereof, the opposite side elevational view being substantially the same, the tire iron being broken in the center to disclose indeterminate length;

FIG. 4 is a fragmentary bottom elevational view thereof, the tire iron being broken in the center to disclose indeterminate length;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevation view thereof; and

FIG. 7 is a top plan view of an alternative embodiment of a tire iron wherein the perspective view, side elevational view, bottom elevational view, front elevational view and rear elevational view of the embodiment are substantially the same as shown in FIGS. 1, 3, 4, 5 and 6, respectively.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7