



US00D395809S

United States Patent [19]
Brown et al.

[11] **Patent Number:** **Des. 395,809**
[45] **Date of Patent:** ****Jul. 7, 1998**

[54] **TIRE IRON**
[75] **Inventors:** **William P. Brown**, Doylestown; **Jack A. Cameron**, Hudson, both of Ohio
[73] **Assignee:** **Summit Tool Company**, Akron, Ohio
[**] **Term:** **14 Years**
[21] **Appl. No.:** **70,219**
[22] **Filed:** **May 2, 1997**
[51] **LOC (6) Cl.** **08-05**
[52] **U.S. Cl.** **D8/31**
[58] **Field of Search** D8/31, 14, 88,
D8/89; 81/15.2; 7/100; 157/1.3

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 134,799 1/1943 Taylor D8/31
D. 158,110 4/1950 Lutz D8/31
5,213,146 5/1993 Onozawa 157/1.3
5,343,921 9/1994 Kusner 157/1.3

OTHER PUBLICATIONS
I.C. Whitney & Co, Catalog 564J, p. 163, Spoon-Type Tire Irons, ©1994.
Melco, product literature, pp. 24–25, with cover page, Sheffield, England. Date of publication is unknown, but is sufficiently earlier than the effective U.S. filing date of the application.
Stahlwill, Price-list E '92/0, p. 26, 1992.
Gedore, D89 Ihr Werkzeug-Partner, p. 65. Date of publication is unknown, but is sufficiently earlier than the effective U.S. filing date of the application.

Hazet, English Edition Catalogue 79/80, p. 43, 1979.
Primary Examiner—Philip S. Hyder
Assistant Examiner—Richelle Shelton
Attorney, Agent, or Firm—Renner, Kenner, Greive, Bobak, Taylor & Weber

[57] **CLAIM**
The ornamental design for a tire iron, as shown and described.

DESCRIPTION
FIG. 1 is a fragmentary perspective view of a tire iron showing our new design, the tire iron being broken in the center to disclose indeterminate length;
FIG. 2 is a fragmentary top plan view thereof, the tire iron being broken in the center to disclose indeterminate length;
FIG. 3 is a fragmentary side elevational view thereof, the opposite side elevational view being substantially the same, the tire iron being broken in the center to disclose indeterminate length;
FIG. 4 is a fragmentary bottom elevational view thereof, the tire iron being broken in the center to disclose indeterminate length;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a rear elevation view thereof; and
FIG. 7 is a top plan view of an alternative embodiment of a tire iron wherein the perspective view, side elevational view, bottom elevational view, front elevational view and rear elevational view of the embodiment are substantially the same as shown in FIGS. 1, 3, 4, 5 and 6, respectively.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7