



US00D395830S

United States Patent [19]
Riley

[11] **Patent Number:** **Des. 395,830**
[45] **Date of Patent:** ****Jul. 7, 1998**

[54] **COMBINED CLOCK AND THERMOMETER HOUSING**

[75] **Inventor:** **Martin O. Riley**, Glendale, Calif.

[73] **Assignee:** **M M Industries**, Glendale, Calif.

[**] **Term:** **14 Years**

[21] **Appl. No.:** **73,891**

[22] **Filed:** **Jul. 2, 1997**

[51] **LOC (6) Cl.** **10-01**

[52] **U.S. Cl.** **D10/4; D10/2; D10/122**

[58] **Field of Search** **D10/1, 2, 4, 122, D10/57; 368/10, 11, 285; 374/208**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 237,259 10/1975 Kamnitzer D10/28
- D. 348,617 7/1994 Riley D10/57

D. 350,485 9/1994 Polatio D10/2

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Freilich Hornbaker Rosen


[57] **CLAIM**

The ornamental design for combined clock and thermometer housing, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a combined clock and thermometer housing showing my new design;
 FIG. 2 is a front elevation view thereof, the broken line showings of hands being illustrative of environment only and forming no part of the claimed design;
 FIG. 3 is a top elevation view thereof with the bottom view being identical;
 FIG. 4 is a rear elevation view thereof; and,
 FIG. 5 is a right side elevation view thereof, with the left side elevation view being identical.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5