



US00D395836S

# United States Patent [19]

Morelli, Jr.

[11] Patent Number: Des. 395,836

[45] Date of Patent: \*\*Jul. 7, 1998

[54] **COMBINED TRANSMITTER AND RECEIVER FOR AN ALARM UNIT**

[76] Inventor: **John J. Morelli, Jr.**, 56072 Colerain Pike, Martins Ferry, Ohio 43935-1116

[\*\*] Term: **14 Years**

[21] Appl. No.: **77,059**

[22] Filed: **Sep. 25, 1997**

[51] LOC (6) Cl. .... **10-05**

[52] U.S. Cl. .... **D10/106**

[58] Field of Search ..... D10/104, 106, D10/116, 121; 340/345, 348, 349, 351, 371, 373, 571, 572, 573

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 339,757	9/1993	Feeney	.....	D10/106
D. 345,314	3/1994	Chandra	.....	D10/106
D. 345,713	4/1994	Pecht et al.	.....	D10/106
D. 345,932	4/1994	Tedalizo	.....	D10/106
D. 346,125	4/1994	Cote et al.	.....	D10/106

*Primary Examiner*—Marcus A. Jackson

[57] **CLAIM**

The ornamental design for a combined transmitter and receiver for an alarm unit, as shown.

**DESCRIPTION**

FIG.1 is a front elevational view of a combined transmitter and receiver for an alarm unit of the present invention, with the broken line showing for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a back elevational view of a combined transmitter and receiver for an alarm unit of FIG. 1;

FIG. 3 is a left side elevational view of a combined transmitter and receiver for an alarm unit of FIG. 1;

FIG. 4 is a right side elevational view of a combined transmitter and receiver for an alarm unit of FIG. 1;

FIG. 5 is a top plan view of a combined transmitter and receiver for an alarm unit of FIG. 1; and,

FIG. 6 is a bottom plan view of a combined transmitter and receiver for an alarm unit of FIG. 1.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

