



US00D395855S

United States Patent [19]
Horie et al.

[11] **Patent Number:** **Des. 395,855**
[45] **Date of Patent:** ****Jul. 7, 1998**

[54] **AUTOMOBILE TIRE**

[75] **Inventors:** **Hitoshi Horie, Hiratsuka; Hiroshi Tokizaki, Tokyo; Sadakazu Takei, Hiratsuka, all of Japan**

[73] **Assignee:** **The Yokohama Rubber Co., Ltd., Tokyo, Japan**

[**] **Term:** **14 Years**

[21] **Appl. No.:** **69,071**

[22] **Filed:** **Mar. 24, 1997**

[30] **Foreign Application Priority Data**

Sep. 25, 1996 [JP] Japan 8-28402

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** D12/136, 138,
D12/140-152; 152/209 A, 209 B, 209 D,
209 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 50,931 6/1917 Carlisle D12/142
D. 100,591 7/1936 Yelm D12/142
D. 178,688 9/1956 Newman et al. D12/146

D. 213,748 4/1969 Evans, Jr. D12/146
D. 369,767 5/1996 Himuro et al. D12/147

OTHER PUBLICATIONS

Firestone Super Mileage Lug Tubeless Tire, Firestone Highway Type Truck Tires And Tubes Price List, p. 4, Feb. 1960.

Primary Examiner—Gary D. Watson

Assistant Examiner—Robert M. Spear

Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an automobile tire showing our new design, it being understood that the tread pattern repeats uniformly throughout the circumference of the tire;

FIG. 2 is a rear view;

FIG. 3 is a right side view;

FIG. 4 is a left side view;

FIG. 5 is an enlarged view of the portion 5—5 as shown in FIG. 1 of the front of the automobile tire; and,

FIG. 6 is an enlarged cross-sectional view taken along the line 6—6 of FIG. 5.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

