



US00D395857S

United States Patent [19]
Yamakage

[11] **Patent Number:** **Des. 395,857**
[45] **Date of Patent:** ****Jul. 7, 1998**

[54] **AUTOMOBILE TIRE**
[75] **Inventor:** **Atsushi Yamakage**, Akashi, Japan
[73] **Assignee:** **Sumitomo Rubber Industries, Ltd.**,
Kobe, Japan
[**] **Term:** **14 Years**
[21] **Appl. No.:** **69,614**
[22] **Filed:** **May 6, 1997**
[51] **LOC (6) Cl.** **12-15**
[52] **U.S. Cl.** **D12/147**
[58] **Field of Search** **D12/136, 138,**
D12/140-152; 152/209 A, 209 B, 209 D,
209 R

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 354,261 1/1995 Graas D12/147
D. 370,880 6/1996 Graas D12/151
D. 379,449 5/1997 Grass et al. D12/151
4,832,099 5/1989 Matsumoto 152/209 R
5,421,391 6/1995 Himuro 152/209 R
5,423,364 6/1995 Himuro 152/209 R
5,609,699 3/1997 Himuro 152/209 R

FOREIGN PATENT DOCUMENTS
895447 4/1994 Japan .

964351 9/1996 Japan .
OTHER PUBLICATIONS
Nokia NRH Tire, 1995 Tread Design Guide, p. 54, Jan. 1995.
Toyo Proxes Z1 Tire, 1995 Tread Design Guide, p. 70, Jan. 1995.
Primary Examiner—Gary D. Watson
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—IP Group of Pillsbury Madison & Sutro, LLP

[57] **CLAIM**
The ornamental design for an automobile tire, as shown and described.

DESCRIPTION
FIG. 1 is a front perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is an enlarged fragmentary front elevational view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

