



US00D395878S

**United States Patent** [19]  
**Copeland et al.**

[11] **Patent Number:** **Des. 395,878**  
[45] **Date of Patent:** **\*\*Jul. 7, 1998**

[54] **ICON FOR AN ACTUATION KEY FOR A SMART CARD READER**

[75] Inventors: **Jeffrey P. Copeland**, Jefferson; **Gerald W. Vandenengel**, Grafton, both of Mass.; **Paul Waihung Chau**, Nashua, N.H.

[73] Assignee: **Oki Electric Industry Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **66,254**

[22] Filed: **Feb. 7, 1997**

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/114.7**

[58] **Field of Search** ..... D14/114, 114.1-114.9; D18/24, 27; D19/6; D10/11; 395/326, 339-57

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 305,023 12/1989 Suto ..... D14/117
- D. 313,410 1/1991 Audebert et al. .... D14/117
- D. 341,848 11/1993 Bigelow et al. .... D18/27

**OTHER PUBLICATIONS**

Hypercard Users Guide, Apple Software, to do, button, art ideas icons, p.i, 1988.  
 CommWorks for Windows Users guide, Travelling Software, access security icon, p.30, 1993.  
 Symbol Sourcebook, Henry Dreyfuss, Van Nostrand Reinhold Co., currency exchange symbol, p. 37, hand symbols, bottom row, p. 227, hand symbols, first 5 rows, p. 228, 1972.  
*Primary Examiner*—M. H. Tung  
*Attorney, Agent, or Firm*—Rabin, Champagne & Lynt, P.C.

[57] **CLAIM**


The ornamental design for an icon for an actuation key for a smart card reader, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an icon for an actuation key for a smart card reader, on an enlarged scale, the broken line drawing of the key being for illustrative purposes only and forming no part of the claimed design, the icon and key being shown separately from the smart card reader for clarity of illustration; and,

FIG. 2 is a front view thereof, the broken line drawing of a smart card reader being for illustrative purposes only and forming no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



**FIG. 1**




FIG. 2

