



US00D395901S

United States Patent [19]

[11] Patent Number: **Des. 395,901**

Mizukami

[45] Date of Patent: ****Jul. 7, 1998**

[54] **HUB FLANGE FOR CLUTCH ESPECIALLY FOR AUTOMOTIVE RACING APPLICATIONS**

D. 302,823	8/1989	Huber	D15/148
4,846,326	7/1989	Tilton et al.	192/70.19
5,301,779	4/1994	Nash	192/70.2
5,655,638	8/1997	Villata	192/70.18

[75] Inventor: **Hiroshi Mizukami**, Neyagawa, Japan

[73] Assignee: **Exedy Corporation**, Osaka, Japan

[**] Term: **14 Years**

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Roylance, Abrams, Berdo & Goodman, L.L.P.

[21] Appl. No.: **66,615**

[57] CLAIM

[22] Filed: **Feb. 13, 1997**

The ornamental design for a hub flange for clutch especially for automotive racing applications, as shown and described.

Related U.S. Application Data

[63] Continuation of Ser. No. 438,726, May 10, 1995, Pat. No. 5,638,932.

DESCRIPTION

[30] Foreign Application Priority Data

May 17, 1994	[JP]	Japan	6-102499
May 17, 1994	[JP]	Japan	6-102501
Jul. 11, 1994	[JP]	Japan	6-158922

FIG. 1 is a front elevational view illustrating a hub flange for a clutch, especially for automotive racing applications in accordance with my new design;

[51] LOC (6) Cl. **15-09**

[52] U.S. Cl. **D15/148**

[58] Field of Search D19/148; 74/76; 195/69.9, 70.12, 70.2, 70.27, 89.23, 109 R. 113.2, 113.26

FIG. 2 is a rear elevational view of the hub flange illustrated in FIG. 1;

FIG. 3 is a longitudinal cross-sectional view of the hub flange illustrated in FIGS. 1 and 2, taken along section lines 3—3 of FIG. 1; and,

FIG. 4 is a side elevational view of the hub flange illustrated in FIGS. 1-3.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 302,822	8/1989	Huber	D15/148
------------	--------	-------------	---------

1 Claim, 2 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3




FIG. 4