



US00D396003S

United States Patent [19]

[11] Patent Number: **Des. 396,003**

Fenton et al.

[45] Date of Patent: ****Jul. 14, 1998**

[54] **BOTTLE**

[75] Inventors: **Russell Rowan Fenton; Elmer (Chuck) H. Goss**, both of East Amherst, N.Y.

[73] Assignee: **FWJ Plastic Packaging, Inc.**, Tonawanda, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **77,733**

[22] Filed: **Oct. 7, 1997**

[51] LOC (6) Cl. **09-01**

[52] U.S. Cl. **D9/337; D9/520; D9/521; D24/121**

[58] Field of Search **D9/521, 520, 302, D9/415, 337; D24/121; 215/399, 398, 395, 382**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 212,412 10/1968 Hanlon D9/302

D. 218,397	8/1970	Orr	D9/521
D. 284,033	5/1986	Brodsky	D9/520
D. 323,291	1/1992	Wilgus	D9/302 X
D. 363,985	11/1995	Van Hovel et al.	D9/521
2,104,704	1/1938	Graber	215/399 X
3,171,412	3/1965	Braun	215/399 X
3,424,218	1/1969	Vanderbur et al.	D24/121 X
3,847,295	11/1974	Taylor	215/399 X

Primary Examiner—Lucy Lieberman
Attorney, Agent, or Firm—Harpman & Harpman

[57] **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION


FIG. 1 is a front elevation thereof; the rear elevation is the same except for the conventional screw threading on the bottle's neck;

FIG. 2 is a right side elevational view thereof, the left side elevation is the same except for the conventional screw threading on the bottle neck;

FIG. 3 is a bottom plan view thereof; and,

FIG. 4 is a top plan view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4