

US00D396215S

United States Patent [19]

[11] Patent Number: **Des. 396,215**

Inukai

[45] Date of Patent: ****Jul. 21, 1998**

[54] **WIRELESS PORTABLE TERMINAL**

D. 346,793	5/1994	Iino et al.	D14/100
D. 351,378	10/1994	Nakazawa et al.	D14/107
D. 366,463	1/1996	Ive et al.	D14/100

[75] Inventor: **Yoshinori Inukai, Kawasaki, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

Primary Examiner—Freda Nunn
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[**] Term: **14 Years**

[21] Appl. No.: **60,904**

[57] **CLAIM**

[22] Filed: **Oct. 10, 1996**

The ornamental design for a wireless portable terminal, as shown and described.

[30] **Foreign Application Priority Data**

DESCRIPTION

Apr. 19, 1996 [JP] Japan 8-11501

FIG. 1 is a front view of a wireless portable terminal showing my new design;

[51] **LOC (6) Cl.** **14-02**

FIG. 2 is a rear view thereof;

[52] **U.S. Cl.** **D14/100; D18/7**

FIG. 3 is a top plan view thereof;

[58] **Field of Search** **D14/100, 106,**

FIG. 4 is a bottom plan view thereof;

D14/115; D18/1, 2, 7; 178/18, 19; 235/145 A,

FIG. 5 is a left side view thereof;

145 R; 341/22, 23; 345/156, 168, 169,

FIG. 6 is a right side view thereof; and,

172, 173; 364/708.1

FIG. 7 is a perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 337,569 7/1993 Kando D14/100

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

