



US00D396266S

United States Patent [19]

Alvern

[11] Patent Number: **Des. 396,266**

[45] Date of Patent: ****Jul. 21, 1998**

[54] **ADVERTISING CARRYING BODY FOR USE ON A FILLER GUN**

[75] Inventor: **Øyvind Alvern, Hjeltestad, Norway**

[73] Assignee: **Alvern Norway ASA, Norway**

[**] Term: **14 Years**

[21] Appl. No.: **70,628**

[22] Filed: **May 12, 1997**

[30] Foreign Application Priority Data

Nov. 15, 1996 [NO] Norway 960832

[51] LOC (6) Cl. **23-01**

[52] U.S. Cl. **D23/227**

[58] Field of Search D15/9.1; D23/213, D23/227; 137/377, 379; 141/52, 208, 209, 392

[56] References Cited

U.S. PATENT DOCUMENTS

D. 173,006	9/1954	Anderson .	
D. 173,007	9/1954	Anderson .	
D. 177,538	4/1956	Sutcliffe	D23/227
D. 177,597	5/1956	Sinclair	D23/227
D. 177,648	5/1956	Sinclair	D23/227
D. 182,400	4/1958	Boone	D23/227
D. 279,483	7/1985	Goldman .	
D. 279,484	7/1985	Goldman .	
D. 358,452	5/1995	Karrick	D23/227
D. 366,310	1/1996	Fell .	
4,408,791	10/1983	Griffin et al. .	
4,465,209	8/1984	Wilder .	
4,690,182	9/1987	Knaus .	
5,058,637	10/1991	Fell .	
5,184,309	2/1993	Simpson et al. .	
5,184,655	2/1993	Fell .	
5,199,474	4/1993	D'Angelo .	

FOREIGN PATENT DOCUMENTS

S-122642	2/1995	Australia .
S-123343	5/1995	Australia .
0407271A1	1/1991	European Pat. Off. .

62-208396	9/1987	Japan .
850627	10/1992	Japan .
1393062	5/1975	United Kingdom .
2147273	5/1985	United Kingdom .
WO 90/08375	7/1990	WIPO .

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.

[57] CLAIM

The ornamental design for an advertising carrying body for use on a filler gun, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of an advertising carrying body for use on a filler gun showing my new design;

FIG. 2 is a front perspective view from above and other side of the carrying body;

FIG. 3 is a side view from one side of the carrying body;

FIG. 4 is a side view from other side of the carrying body;

FIG. 5 is a front perspective view from above and other side of the carrying body;

FIG. 6 is a rear perspective view from below and from other side of the carrying body;

FIG. 7 is a rear perspective view from above and other side of the carrying body;

FIG. 8 is a rear perspective view from above and one side of the carrying body;

FIG. 9 is a view from above of the carrying body;

FIG. 10 is a view from below of the carrying body;

FIG. 11 is a front view of the carrying body;

FIG. 12 is a rear view of the carrying body;

FIG. 13 is a front perspective view from above and one side of a top member embodying part of my new design and forming a lid part of the carrying body;

FIG. 14 is a top view of the top member;

FIG. 15 is a bottom view of the top member;

FIG. 16 is a view from one side of the top member;

FIG. 17 is a view from other side of the top member;

FIG. 18 is a rear view of the top member; and,

FIG. 19 is a front view of the top member.

1 Claim, 16 Drawing Sheets




Fig. 1.





Fig. 2.






Fig.3.

Fig. 4.




Fig.5.





Fig.6.






Fig. 7.

Fig.8.




Fig.9.




Fig.10.




Fig.12.




Fig.11.




Fig.13.




Fig. 14.




Fig.15.




Fig.16.



Fig.17.




Fig.18.




Fig.19.

