

US00D396721S

United States Patent [19]

Naganoma et al.

[11] Patent Number: **Des. 396,721**

[45] Date of Patent: ****Aug. 4, 1998**

[54] **RADIO RECEIVER**

[75] Inventors: **Toshiyuki Naganoma**, Ibaragi-ken;
Nobuyoshi Tanaka, Yokohama, both of
Japan

[73] Assignee: **Aiwa Co., Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **78,190**

[22] Filed: **Oct. 21, 1997**

[51] LOC (6) Cl. **14-03**

[52] U.S. Cl. **D14/195; D14/197**

[58] Field of Search D14/170-171,
D14/188, 189, 193-198; D21/111-113;
455/344, 347, 350, 351

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 240,270 6/1976 Kawano D14/171

D. 304,453 11/1989 Matsushima D14/170
D. 321,882 11/1991 Huei D14/196
D. 377,650 1/1997 Obata D14/171
D. 378,371 3/1997 Mak D14/194

Primary Examiner—Sandra L. Morris
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—IP Group of Pillsbury Madison &
Sutro LLP

[57] **CLAIM**

The ornamental design for a radio receiver, as shown.

DESCRIPTION

FIG. 1 is a front and right side perspective view of a radio receiver of our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

