



US00D396820S

United States Patent [19]
Wallace

[11] **Patent Number:** **Des. 396,820**
[45] **Date of Patent:** ****Aug. 11, 1998**

[54] **COMBINED FIRE DETECTOR AND
CARBON MONOXIDE DETECTOR**

D. 369,566 5/1996 Poon D10/106
D. 382,825 8/1997 Amleshi D10/106

[76] **Inventor:** **Otis M. Wallace, 3066-2 Booth Ave.,
Fort Riley, Kans. 66442**

Primary Examiner—**Marcus A. Jackson**

[**] **Term:** **14 Years**

[57] **CLAIM**

The ornamental design for a combined fire detector and carbon monoxide detector, as shown.

[21] **Appl. No.:** **79,409**

DESCRIPTION

[22] **Filed:** **Nov. 13, 1997**

[51] **LOC (6) Cl.** **10-05**

[52] **U.S. Cl.** **D10/106**

[58] **Field of Search** D10/104, 106,
D10/116, 121; 340/628, 629, 630, 632,
633, 634

FIG. 1 is a front plan view of a combined fire detector and carbon monoxide detector of the present invention;
FIG. 2 is a back plan view of a combined fire detector and carbon monoxide detector of FIG. 1;
FIG. 3 is a left side plan view of a combined fire detector and carbon monoxide detector of FIG. 1;
FIG. 4 is a right side plan view of a combined fire detector and carbon monoxide detector of FIG. 1;
FIG. 5 is a top plan view of a combined fire detector and carbon monoxide detector of FIG. 1; and
FIG. 6 is a bottom plan view of a combined fire detector and carbon monoxide detector of FIG. 1.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 350,300 9/1994 Browning et al. D10/106
D. 358,109 5/1995 Ozawa D10/106
D. 359,701 6/1995 Fischette et al. D10/106
D. 367,434 2/1996 Feldman D10/106

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

