



US00D396836S

**United States Patent** [19]  
**Bennetch**

[11] **Patent Number: Des. 396,836**  
[45] **Date of Patent: \*\*Aug. 11, 1998**

[54] **ENHANCED MIRROR BRACKET**  
[76] **Inventor: John M. Bennetch, 7222 Rte. 183, Bethel, Pa. 19507**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 65,042**  
[22] **Filed: Jan. 17, 1997**  
[51] **LOC (6) Cl. .... 12-06**  
[52] **U.S. Cl. .... D12/187**  
[58] **Field of Search .... D12/187, 188, D12/189; 359/629, 838, 841, 842, 844-846, 850, 854-855, 864-866, 868, 871-873, 875, 879, 880, 881, 848; 248/74.3, 302-303, 475.1, 475 R, 479-480, 485-487, 476; D8/370**

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 338,649 8/1993 Kuny ..... D12/187  
D. 343,378 1/1994 Ledford ..... D12/187  
D. 375,926 11/1996 Snyder ..... D12/187  
5,210,655 5/1993 Mishali ..... 359/850

*Primary Examiner—Ralf Seifert*

[57] **CLAIM**

The ornamental design for a an enhanced mirror bracket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front plan view of the enhanced mirror bracket apparatus of the present invention;  
FIG. 2 is a back plan view of the an enhanced mirror bracket of FIG. 1;  
FIG. 3 is a left side plan view of the an enhanced mirror bracket apparatus of FIG. 1;  
FIG. 4 is a right side plan view of the an enhanced mirror bracket of FIG. 1;  
FIG. 5 is a top plan view of the an enhanced mirror bracket of FIG. 1;  
FIG. 6 is a bottom plan view of the an enhanced mirror bracket of FIG. 1; and,  
FIG. 7 is a left side plan view of the an enhanced mirror bracket of FIG. 1 installed.  
The broken line showing of a mirror and mirror mount, in FIG. 7, is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

