



US00D396916S

United States Patent

[19]

Ochs, Sr.

[11] Patent Number: Des. 396,916

[45] Date of Patent: **Aug. 11, 1998

[54] WASTEBASKET AND RECYCLING BIN

[75] Inventor: Steven J. Ochs, Sr., Roswell, Ga.

[73] Assignee: Kooler Kraft International Corp.,
Roswell, Ga.

[**] Term: 14 Years

[21] Appl. No.: 57,469

[22] Filed: Jul. 25, 1996

[51] LOC (6) Cl. 09-09

[52] U.S. Cl. D34/4; D9/518; D34/7

[58] Field of Search D34/1, 4-7, 10,
D34/11; D32/37; 232/43.2, 1 R; 220/908-911,
404. 916, 906; D9/518, 438

[56] References Cited

U.S. PATENT DOCUMENTS

D. 177,570	5/1956	James .	
D. 246,090	10/1977	Gault .	
D. 246,229	11/1977	Saunders .	
D. 249,444	9/1978	Forsberg .	
D. 262,517	1/1982	Hayes .	
D. 263,024	2/1982	Atkinson et al. .	D9/518
D. 271,281	11/1983	Abbott et al.	D9/518
D. 282,442	2/1986	Kohnle .	
D. 289,458	4/1987	Zakrajsek	D24/7
D. 309,208	7/1990	Cajigas	D34/7
D. 309,847	8/1990	Scheurer .	
D. 315,659	3/1991	DeLeon et al. .	
D. 323,267	1/1992	Bidwell .	
D. 324,281	2/1992	Brüssing .	
D. 327,424	6/1992	Pierce	D9/438
D. 328,510	8/1992	Brüssing	D34/1
D. 329,593	9/1992	Otsuka	D9/518
D. 331,479	12/1992	Su	D34/1
D. 338,137	8/1993	Ochs .	
D. 347,362	5/1994	Redmon .	
D. 347,973	6/1994	McBride .	
D. 349,218	8/1994	Evans .	
D. 358,966	6/1995	Ochs .	
D. 359,606	6/1995	Holland .	
D. 360,340	7/1995	Hitch et al.	D9/438

(List continued on next page.)

OTHER PUBLICATIONS

Packaging magazine, Beverage can (Tab), Sep. 1985.

Primary Examiner—Alan P. Douglas

Assistant Examiner—Robin V. Taylor

Attorney, Agent, or Firm—John S. Pratt; Kilpatrick Stockton LLP

[57] CLAIM

The ornamental design for a wastebasket and recycling bin, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the front, upper and right side of the present invention with the lid closed;
FIG. 2 is a top plan view the invention shown in FIG. 1;
FIG. 3 is a bottom plan view of the invention shown in FIG. 1;

FIG. 4 is a side elevational view of the invention shown in FIG. 1;

FIG. 5 is a sectional view taken along cut line 5—5 of the invention shown in FIG. 2;

FIG. 6 is a perspective view showing the front, upper and right side of the invention shown in FIG. 2 with the lid positioned fully open;

FIG. 7 is a front elevational view, of which the back side is a mirror image, of the invention shown in FIG. 6;

FIG. 8 is a right side elevational view, of which the left side is a mirror image, of the invention shown in FIG. 6;

FIG. 9 is a top plan view of the invention shown in FIG. 6;
FIG. 10 is a sectional view taken along cut line 10—10 of the invention shown in FIG. 9;


FIG. 11 is a sectional view, taken along cut line 11—11 of the invention shown in FIG. 9;

FIG. 12 is an exploded perspective view thereof, showing the front, upper and right side;

FIG. 13 is a front elevational view, of which the back side is a mirror image, of the invention shown in FIG. 12; and,
FIG. 14 is a sectional view taken along cut line 14—14 shown in FIG. 13.

The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



Des. 396,916

Page 2

U.S. PATENT DOCUMENTS

D. 371,075	6/1996	Stonehouse	D9/518	4,883,187	11/1989	Knitzer .
4,242,884	1/1981	Kotschwar .		5,048,171	9/1991	Bidwell et al. .
4,412,627	11/1983	Houghton et al. .		5,203,181	4/1993	Brossia et al. .
4,762,229	8/1988	Wickre	D9/518	5,251,460	10/1993	DeMarco et al. .

5,350,079 9/1994 Larson et al. 220/908




FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7








FIG 8

**FIG 9****FIG 10****FIG 11**



**FIG
12**




FIG 13

FIG 14