

US00D397230S

**United States Patent** [19]  
**Forsberg**

[11] **Patent Number: Des. 397,230**

[45] **Date of Patent: \*\*Aug. 18, 1998**

[54] **FRONT FACE OF A RETAINING WALL**

[75] **Inventor: Paul J. Forsberg, Wayzata, Minn.**

[73] **Assignee: Keystone Retaining Wall Systems, Inc., Bloomington, Minn.**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 61,335**

[22] **Filed: Oct. 22, 1996**

**Related U.S. Application Data**

[62] **Division of Ser. No. 38,326, May 3, 1995, Pat. No. Des. 381,086.**

[51] **LOC (6) Cl. .... 25-01**

[52] **U.S. Cl. .... D25/114; D25/113**

[58] **Field of Search .... D25/113-118, D25/160-164; 52/574, 603, 605-608; 404/29, 34, 36, 40-42; D21/108**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 131,814	3/1942	Larson	.....	D25/114
D. 196,970	11/1963	Fulwider	.....	D25/114
D. 295,790	5/1988	Forsberg	.	
D. 298,463	11/1988	Forsberg	.	
D. 300,253	3/1989	Forsberg	.	
D. 343,461	1/1994	Powell	.....	D25/114
1,385,207	5/1921	Appleton	.	
2,882,689	4/1959	Huch et al.	.	
2,968,815	1/1961	Hornick	.	
3,995,434	12/1976	Kato et al.	.	
4,229,123	10/1980	Heinzmann	.	
4,312,606	1/1982	Sarikelle	.	
4,524,551	6/1985	Scheiwiller	.	
4,658,541	4/1987	Haile	.	
4,909,010	3/1990	Gravier	.	
5,062,610	11/1991	Woolford et al.	.	

**FOREIGN PATENT DOCUMENTS**

823498	12/1951	Germany	.
1385207	5/1972	United Kingdom	.
2127872	9/1982	United Kingdom	.

**OTHER PUBLICATIONS**

Keystone Retaining Wall Systems brochure, "The Perfect Combination of Beauty and Function".

*Primary Examiner*—Raphael Barkai  
*Attorney, Agent, or Firm*—Popovich & Wiles, P.A.

[57] **CLAIM**

The ornamental design for a front face of a retaining wall, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a front face of a retaining wall showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a perspective view of a modified embodiment of the design shown in FIG. 1-7;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a right elevational view thereof;

FIG. 12 is a left elevational view thereof;

FIG. 13 is a right side elevational view thereof;

FIG. 14 is a left side elevational view thereof;

FIG. 15 is a perspective view of a second modified embodiment of the design shown in FIG. 1-7;

FIG. 16 is a top plan view thereof;

FIG. 17 is a bottom plan view thereof;

FIG. 18 is a front elevational view thereof;

FIG. 19 is a rear elevational view thereof;

FIG. 20 is a right elevational view thereof;

FIG. 21 is a left side elevational view thereof;

FIG. 22 is a perspective view of a third modified embodiment of the design shown in FIG. 1-7;

FIG. 23 is a top plan view thereof;

FIG. 24 is a bottom plan view thereof;

FIG. 25 is a front elevational view thereof;

FIG. 26 is a rear elevational view thereof;

FIG. 27 is a right side elevational view thereof;

FIG. 28 is a left side elevational view thereof;




FIG. 29 is a perspective view of a fourth modified embodiment of the design shown in FIG. 1-7;

FIG. 30 is a perspective view of a fifth modified embodiment of the design shown in FIG. 1-7;

FIG. 31 is a perspective view of a sixth modified embodiment of the design shown in FIG. 1-7;

FIG. 32 is a perspective view of a seventh modified embodiment of the design shown in FIG. 1-7;

FIG. 33 is a perspective view of an eighth modified embodiment of the design shown in FIG. 1-7;

FIG. 34 is a right elevational view thereof, the left side elevational being a mirror image thereof;

FIG. 35 is a perspective view of a ninth modified embodiment of the design shown in FIG. 1-7;

FIG. 36 is a perspective view of a tenth modified embodiment of the design shown in FIG. 1-7;

FIG. 37 is a perspective view of an eleventh modified embodiment of the design shown in FIG. 1-7;

FIG. 38 is a perspective view of a twelfth modified embodiment of the design shown in FIG. 1-7;

FIG. 39 is a perspective view of a thirteenth modified embodiment of the design shown in FIG. 1-7;

FIG. 40 is a right side elevational view thereof, the left side elevational being a mirror image thereof;

FIG. 41 is a perspective view of a fourteenth modified embodiment of the design shown in FIG. 1-7;

FIG. 42 is a top plan view thereof;

FIG. 43 is a bottom plan view thereof;

FIG. 44 is front elevational view thereof;

FIG. 45 is a rear elevational view thereof;

FIG. 46 is a right side elevational view thereof;

FIG. 47 is a left side elevational view thereof;

FIG. 48 is a perspective view of a fifteenth modified embodiment of the design shown in FIG. 1-7;

FIG. 49 is a top plan view thereof;

FIG. 50 is a bottom plan view thereof;

FIG. 51 is a front elevational view thereof;


FIG. 52 is a rear elevational view thereof;

FIG. 53 is a right side elevational view thereof; and,


FIG. 54 is a left side elevational view thereof.

The broken lines in the drawings illustrate different embodiments of the structural environment of retaining wall blocks that include the front face of the design and are not a part of the design sought to be patented.


**1 Claim, 24 Drawing Sheets**



**FIG. 1**



**FIG. 2**



**FIG. 3**




FIG. 4







FIG. 5




**FIG. 6**




**FIG. 7**




**FIG. 8**




**FIG. 9**




**FIG. 10**




**FIG. 11**



**FIG. 12**




**FIG. 13**




**FIG. 14**







**FIG. 15**




**FIG. 16**




**FIG. 17**




**FIG. 18**




**FIG. 19**




**FIG. 20**




**FIG. 21**




**FIG. 22**




**FIG. 23**




**FIG. 24**




**FIG. 25**




**FIG. 26**




**FIG. 27**




**FIG. 28**




**FIG. 29**



**FIG. 30**




**FIG. 31**




**FIG. 32**







**FIG. 33**




**FIG. 34**




**FIG. 35**



**FIG. 36**



**FIG. 37**



**FIG. 38**




FIG. 39







FIG. 40




**FIG. 41**




**FIG. 42**




**FIG. 43**




**FIG. 44**




**FIG. 45**




**FIG. 46**




**FIG. 47**



**FIG. 48**




**FIG. 49**




**FIG. 50**







**FIG. 51**



**FIG. 52**



**FIG. 53**



**FIG. 54**