



US00D397230S

United States Patent [19]
Forsberg

[11] **Patent Number: Des. 397,230**
[45] **Date of Patent: **Aug. 18, 1998**

[54] **FRONT FACE OF A RETAINING WALL**

- [75] Inventor: **Paul J. Forsberg**, Wayzata, Minn.
- [73] Assignee: **Keystone Retaining Wall Systems, Inc.**, Bloomington, Minn.
- [**] Term: **14 Years**
- [21] Appl. No.: **61,335**
- [22] Filed: **Oct. 22, 1996**

Related U.S. Application Data

- [62] Division of Ser. No. 38,326, May 3, 1995, Pat. No. Des. 381,086.
- [51] **LOC (6) Cl.** **25-01**
- [52] **U.S. Cl.** **D25/114; D25/113**
- [58] **Field of Search** **D25/113-118, D25160-164; 52/574, 603, 605-608; 404/29, 34, 36, 40-42; D21/108**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|-----------------|-------|---------|
| D. 131,814 | 3/1942 | Larson | | D25/114 |
| D. 196,970 | 11/1963 | Fulwider | | D25/114 |
| D. 295,790 | 5/1988 | Forsberg | . | |
| D. 298,463 | 11/1988 | Forsberg | . | |
| D. 300,253 | 3/1989 | Forsberg | . | |
| D. 343,461 | 1/1994 | Powell | | D25/114 |
| 1,385,207 | 5/1921 | Appleton | . | |
| 2,882,689 | 4/1959 | Huch et al. | . | |
| 2,968,815 | 1/1961 | Hornick | . | |
| 3,995,434 | 12/1976 | Kato et al. | . | |
| 4,229,123 | 10/1980 | Heinzmann | . | |
| 4,312,606 | 1/1982 | Sarikelle | . | |
| 4,524,551 | 6/1985 | Scheiwiller | . | |
| 4,658,541 | 4/1987 | Haile | . | |
| 4,909,010 | 3/1990 | Gravier | . | |
| 5,062,610 | 11/1991 | Woolford et al. | . | |

FOREIGN PATENT DOCUMENTS

| | | | |
|---------|---------|----------------|---|
| 823498 | 12/1951 | Germany | . |
| 1385207 | 5/1972 | United Kingdom | . |
| 2127872 | 9/1982 | United Kingdom | . |

OTHER PUBLICATIONS

Keystone Retaining Wall Systems brochure, "The Perfect Combination of Beauty and Function".

Primary Examiner—Raphael Barkai
Attorney, Agent, or Firm—Popovich & Wiles, P.A.

[57] **CLAIM**

The ornamental design for a front face of a retaining wall, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a front face of a retaining wall showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a perspective view of a modified embodiment of the design shown in FIG. 1-7;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a right elevational view thereof;

FIG. 12 is a left elevational view thereof;

FIG. 13 is a right side elevational view thereof;

FIG. 14 is a left side elevational view thereof;

FIG. 15 is a perspective view of a second modified embodiment of the design shown in FIG. 1-7;

FIG. 16 is a top plan view thereof;

FIG. 17 is a bottom plan view thereof;

FIG. 18 is a front elevational view thereof;

FIG. 19 is a rear elevational view thereof;

FIG. 20 is a right elevational view thereof;

FIG. 21 is a left side elevational view thereof;

FIG. 22 is a perspective view of a third modified embodiment of the design shown in FIG. 1-7;

FIG. 23 is a top plan view thereof;

FIG. 24 is a bottom plan view thereof;

FIG. 25 is a front elevational view thereof;

FIG. 26 is a rear elevational view thereof;

FIG. 27 is a right side elevational view thereof;

FIG. 28 is a left side elevational view thereof;




FIG. 29 is a perspective view of a fourth modified embodiment of the design shown in FIG. 1-7;

FIG. 30 is a perspective view of a fifth modified embodiment of the design shown in FIG. 1-7;

FIG. 31 is a perspective view of a sixth modified embodiment of the design shown in FIG. 1-7;

FIG. 32 is a perspective view of a seventh modified embodiment of the design shown in FIG. 1-7;

FIG. 33 is a perspective view of an eighth modified embodiment of the design shown in FIG. 1-7;

FIG. 34 is a right elevational view thereof, the left side elevational being a mirror image thereof;

FIG. 35 is a perspective view of a ninth modified embodiment of the design shown in FIG. 1-7;

FIG. 36 is a perspective view of a tenth modified embodiment of the design shown in FIG. 1-7;

FIG. 37 is a perspective view of an eleventh modified embodiment of the design shown in FIG. 1-7;

FIG. 38 is a perspective view of a twelfth modified embodiment of the design shown in FIG. 1-7;

FIG. 39 is a perspective view of a thirteenth modified embodiment of the design shown in FIG. 1-7;

FIG. 40 is a right side elevational view thereof, the left side elevational being a mirror image thereof;

FIG. 41 is a perspective view of a fourteenth modified embodiment of the design shown in FIG. 1-7;

FIG. 42 is a top plan view thereof;

FIG. 43 is a bottom plan view thereof;

FIG. 44 is front elevational view thereof;

FIG. 45 is a rear elevational view thereof;

FIG. 46 is a right side elevational view thereof;

FIG. 47 is a left side elevational view thereof;

FIG. 48 is a perspective view of a fifteenth modified embodiment of the design shown in FIG. 1-7;

FIG. 49 is a top plan view thereof;

FIG. 50 is a bottom plan view thereof;

FIG. 51 is a front elevational view thereof;

FIG. 52 is a rear elevational view thereof;

FIG. 53 is a right side elevational view thereof; and,

FIG. 54 is a left side elevational view thereof.

The broken lines in the drawings illustrate different embodiments of the structural environment of retaining wall blocks that include the front face of the design and are not a part of the design sought to be patented.

1 Claim, 24 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54