



US00D397470S

United States Patent [19]
Bassford et al.

[11] **Patent Number:** **Des. 397,470**
[45] **Date of Patent:** ****Aug. 25, 1998**

[54] **SOLAR-POWERED AREA LIGHT**
[75] **Inventors:** **Paul Stanley Bassford**, Bend, Oreg.;
Frank Wesley Engle, Pt. Richmond,
Calif.
[73] **Assignee:** **Startronics Solar Lighting II, Inc.**,
Bend, Oreg.
[**] **Term:** **14 Years**
[21] **Appl. No.:** **66,090**
[22] **Filed:** **Feb. 3, 1997**
[51] **LOC (6) Cl.** **26-05**
[52] **U.S. Cl.** **D26/67; D10/104; D26/24;**
D26/37
[58] **Field of Search** **D26/24, 67, 68,**
D26/37, 38; 362/183, 200, 155, 147, 189,
202, 94, 100, 136, 154, 156; D10/104,
106

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 170,139	8/1953	Ross	D26/24
D. 309,789	8/1990	Luce	D26/68
D. 311,255	10/1990	Spotts	D26/67
D. 316,458	4/1991	Spotts et al.	D26/67
2,618,736	11/1952	Langhout	362/155
4,398,237	8/1983	Doyel	362/200 X
4,759,735	7/1988	Pagnol et al.	362/183 X
4,800,469	1/1989	Leon	362/200 X
5,535,108	7/1996	Logsdon	362/183

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Klarquist Sparkman Campbell
Leigh & Whinston, LLP

[57] **CLAIM**

The ornamental design for a solar-powered area light, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a solar-powered area light;
FIG. 2 is a top view of the solar-powered area light of FIG.
1;
FIG. 3 is a side elevational view of the solar-powered area
light of FIG. 1 having a mounting flange (shown in dashed
lines) mounted to an enclosed structure (also shown in
dashed lines) for lighting the interior of the structure;
FIG. 4 is a side elevation view of the solar-powered area
light of FIG. 1;
FIG. 5 is a bottom view of the solar-powered area light of
FIG. 1;
FIG. 6 is a perspective view of a solar-powered area light in
accordance with another embodiment of the present inven-
tion;
FIG. 7 is a top view of the solar-powered area light of FIG.
6;
FIG. 8 is a side elevational view of the solar-powered area
light of FIG. 6 having a mounting flange (shown in dashed
lines) mounted to an enclosed structure (also shown in
dashed lines) for lighting the interior of the structure;
FIG. 9 is a side elevational view of the solar-powered area
light of FIG. 6; and,
FIG. 10 is a bottom view of the solar-powered area light of
FIG. 6.

The dashed lines are shown for illustrative purposes only
and form no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

