



US00D397571S

# United States Patent [19]

Anthony et al.

[11] Patent Number: **Des. 397,571**

[45] Date of Patent: **\*\*Sep. 1, 1998**

[54] **FABRIC FOR USE IN COVERINGS FOR ARCHITECTURAL OPENINGS**

[75] Inventors: **James M. Anthony**, Denver; **Wendell B. Colson**, Boulder, both of Colo.

[73] Assignee: **Hunter Douglas Inc.**, Upper Saddle River, N.J.

[\*\*] Term: **14 Years**

[21] Appl. No.: **63,083**

[22] Filed: **Nov. 26, 1996**

[51] LOC (6) Cl. .... **06-10**

[52] U.S. Cl. .... **D6/575**

[58] Field of Search ..... **D6/575-581; 160/236, 160/178.1, 178.2, 330, 348, 340, 341, 900; D5/51**

228937	7/1987	European Pat. Off. .
427477	5/1991	European Pat. Off. .
469695	5/1992	European Pat. Off. .
1069055	7/1954	France .
837171	7/1949	Germany .
2920323	11/1980	Germany .
3207850	9/1983	Germany .
3312988	10/1984	Germany .
9001429	5/1990	Germany .
5019313	6/1975	Japan .
623832	5/1949	United Kingdom .
2275074	8/1994	United Kingdom .
8912415	12/1989	WIPO .

Primary Examiner—James Gandy  
Assistant Examiner—Linda Brooks  
Attorney, Agent, or Firm—Dorsey & Whitney LLP

### [57] CLAIM

The ornamental design for a fabric for use in coverings for architectural openings.

### DESCRIPTION

FIG. 1 is an isometric view of a fabric for use in coverings for architectural openings;  
 FIG. 2 is an enlarged front elevation;  
 FIG. 3 is a rear elevation of FIG. 2;  
 FIG. 4 is a left side elevation as seen in FIG. 2;  
 FIG. 5 is a right side elevation as seen in FIG. 2;  
 FIG. 6 is a greatly enlarged top plan view, with the bottom plan being identical but in reverse;  
 FIG. 7 is an isometric of a second embodiment of the present invention;  
 FIG. 8 is an enlarged front elevation of FIG. 7;  
 FIG. 9 is a rear elevation of FIG. 8;  
 FIG. 10 is a left side elevation of FIG. 8, with the right side elevation being a mirror image; and,  
 FIG. 11 is a greatly enlarged top plan view of FIG. 7, with the bottom plan view being identical.  
 The pattern of criss cross lines in all of the drawing views is understood to repeat uniformly across the entire surface of the fabric for covering for architectural openings.

### [56] References Cited

#### U.S. PATENT DOCUMENTS


D. 280,792	10/1985	Fairbanks	.....	D6/575
D. 280,874	10/1985	Fairbanks	.....	D6/575
D. 280,875	10/1985	Fairbanks	.....	D6/575
2,123,010	7/1938	Kahn	.	
2,169,873	8/1939	Clark, Jr.	.	
2,326,454	8/1943	Gentile	.	
3,844,330	10/1974	Hyman	.	
3,851,699	12/1974	Shapiro	.	
3,946,789	3/1976	Ronkholz-Tolle	.	
4,352,384	10/1982	McCoy, Jr.	.	
4,434,834	3/1984	Ennes	.	
4,519,435	5/1985	Stier	.	
4,535,828	8/1985	Brockhaus	.	
4,550,038	10/1985	Becker et al.	.....	160/330 X
4,792,427	12/1988	Reeves	.	
4,846,243	7/1989	Schneider	.	

(List continued on next page.)

#### FOREIGN PATENT DOCUMENTS


387188	3/1940	Canada .
2090046	8/1994	Canada .

1 Claim, 6 Drawing Sheets




U.S. PATENT DOCUMENTS


4,911,220	3/1990	Hiller .		5,109,913	5/1992	Kazuma .	
4,930,562	6/1990	Goodman .		5,141,042	8/1992	Schwaegerle .	
5,012,552	5/1991	Wulf .....	160/900 X	5,203,394	4/1993	Hailey .	
5,101,876	4/1992	Zak .		5,271,447	12/1993	Aronovich .	
5,109,912	5/1992	Gary .....	160/330	5,297,607	3/1994	Beauchamp .	
				5,358,024	10/1994	Schwaegerle .	
				5,638,881	6/1997	Ruggles .....	160/236 X




*Fig-1*




*Fig-2*




*Fig\_3*




*Fig\_4*




*Fig\_5*




*Fig-6*




*Fig\_7*




*Fig\_8*



*Fig\_9*



*Fig\_10*



*Fig-11*