



US00D397600S

United States Patent [19]

Brady

[11] Patent Number: Des. 397,600

[45] Date of Patent: **Sep. 1, 1998

[54] CAN OPENER

[75] Inventor: Martin Brady, Chesterfield, Va.

[73] Assignee: Hamilton Beach/Proctor-Silex, Inc.,
Glen Allen, Va.

[**] Term: 14 Years

[21] Appl. No.: 68,682

[22] Filed: Mar. 27, 1997

[51] LOC (6) Cl. 07-99

[52] U.S. Cl. D8/35; D8/36

[58] Field of Search D8/33-43; 7/151;
30/400, 410, 416, 422; 81/3.07

[56] References Cited

U.S. PATENT DOCUMENTS

D. 200,243	2/1965	Madl	D8/35
D. 308,159	5/1990	Stutzer	D8/35
D. 362,377	9/1995	Schweizer	D8/35
3,730,391	5/1973	O'Bannon	D8/35 X

OTHER PUBLICATIONS

Catalog sheet showing model No. 75017, 75020, and 75024 can openers, published by Hamilton Beach/Proctor-Silex, Inc., Glen Allen, VA 23060, 1994.

Three photographs prepared for purposes of this Information Disclosure Statement showing Model 75900 can opener offered for sale by Hamilton Beach/Proctor-Silex, Inc., Glen Allen, VA 23060, prior to Mar. 27, 1996, admitted to be prior art.

See accompanying Information Disclosure Statement regarding related, commonly-owned utility patent application filed U.S. application No. 08/893,344 (Not Assigned).

Catalog sheet showing Model 2206 Can Opener with Knife Sharpner, published by Toastmaster, Inc., Columbia, MO 65202, admitted to be prior art, Exact Date Unknown.

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Roger S. Dybvig

[57] CLAIM



The ornamental design for a can opener, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view as seen from the top, front and right side of a can opener showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a top plan view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a perspective view as seen from the top, front and right side of a second embodiment of my design for a can opener;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a right side elevational view thereof;
 FIG. 12 is a side elevational view thereof;
 FIG. 13 is a top plan view thereof; and,
 FIG. 14 is a bottom plan view thereof.

The broken lines in the drawings showing a can guide pin, a can drive wheel, a lid magnet, several vent openings, three sharpner slots, and a power cord exit aperture are used for illustrative purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 7




Fig. 6




Fig. 8




Fig. 10




Fig. 9




Fig. 12




Fig. 11




Fig. 14




Fig. 13

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 397,600

DATED : September 1, 1998

INVENTOR(S) : Martin Brady

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**On the cover page, under "References Cited", the following U.S. patent document should be included;
-D. 387,643 12/1997 Laude et al.--.**

Signed and Sealed this
Seventh Day of March, 2000



Q. TODD DICKINSON

Commissioner of Patents and Trademarks

Attest:

Attesting Officer