



US00D397624S

United States Patent [19]
Kling

[11] **Patent Number:** **Des. 397,624**
[45] **Date of Patent:** ****Sep. 1, 1998**

[54] **THERMOMETER**

D. 377,317 1/1997 Hartwein D10/57
5,626,139 5/1997 Szeles et al. 126/664

[75] **Inventor:** **Björn Kling**, Frankfurt am Main,
Germany

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Fish & Richardson P.C.

[73] **Assignee:** **Braun Aktiengesellschaft**, Frankfurt,
Germany

[57] **CLAIM**

[**] **Term:** **14 Years**

The ornamental design for a thermometer, as shown and described.

[21] **Appl. No.:** **71,422**

DESCRIPTION

[22] **Filed:** **May 30, 1997**

FIG. 1 is a perspective front elevational view of a thermometer from above, showing my design;

[30] **Foreign Application Priority Data**

Dec. 2, 1996 [DE] Germany M 96 10 326.4

FIG. 2 is a front view of the appliance of FIG. 1;

[51] **LOC (6) Cl.** **10-04**

FIG. 3 is a right side view of the appliance of FIG. 1;

[52] **U.S. Cl.** **D10/57**

FIG. 4 is a left side view of the appliance of FIG. 1;

[58] **Field of Search** D10/57; 128/664,
128/736; 374/131, 133, 208

FIG. 5 is a rear view of the appliance of FIG. 1;

FIG. 6 is a top plan view of the appliance of FIG. 1; and,


FIG. 7 is a bottom plan view of the appliance of FIG. 1.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 329,395 9/1992 Mackay D10/57

1 Claim, 3 Drawing Sheets






Fig. 1

Fig. 6




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 7

