



US00D397644S

United States Patent [19]
Douglass

[11] **Patent Number:** **Des. 397,644**
[45] **Date of Patent:** ****Sep. 1, 1998**

[54] **WALKER**

[76] **Inventor:** **Karl J. Douglass**, 3730 Dogwood La.,
Doylestown, Pa. 18901

[**] **Term:** **14 Years**

[21] **Appl. No.:** **77,588**

[22] **Filed:** **Oct. 6, 1997**

[51] **LOC (6) Cl.** **12-12**

[52] **U.S. Cl.** **D12/130**

[58] **Field of Search** D12/128, 130;
135/67, 66, 65, 71, 72, 73, 76; 297/5, 6;
482/66

5,339,853 8/1994 Sokolis et al. .
5,445,174 8/1995 Cunningham .
5,469,343 11/1995 Speck .
5,495,867 3/1996 Block .
5,520,597 5/1996 Tobin .
5,529,425 6/1996 Spies et al. .
5,579,793 12/1996 Gajewski et al. .
5,657,783 8/1997 Sisko et al. 135/67

Primary Examiner—Kay H. Chin

Attorney, Agent, or Firm—Panitch Schwarze Jacobs &
Nadel, P.C.

[57] **CLAIM**

The ornamental design for walker, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a walker in accordance
with my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and,


FIG. 8 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,289,685 12/1966 Parker .
4,094,331 6/1978 Rozsa .
4,135,535 1/1979 Thomas .
4,491,257 1/1985 Ingles .
4,777,973 10/1988 Nakajima 135/67
4,941,496 7/1990 Berning .
5,005,599 4/1991 Cunningham .
5,201,333 4/1993 Shalmon et al. .
5,255,696 10/1993 Leonard .

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8