



US00D397866S

United States Patent [19]

Hartmann et al.

[11] **Patent Number: Des. 397,866**

[45] **Date of Patent: **Sep. 8, 1998**

[54] **MAGNETIC KEY SAFE**

[75] Inventors: **Jerome J. Hartmann**, Carlisle;
Thomas R. Steinhagen, West Des Moines, both of Iowa

[73] Assignee: **Cobbs Manufacturing Co.**, Des Moines, Iowa

[**] Term: **14 Years**

[21] Appl. No.: **78,621**

[22] Filed: **Oct. 30, 1997**

[51] **LOC (6) Cl.** **03-01**

[52] **U.S. Cl.** **D3/212**

[58] **Field of Search** D8/346; D3/212,
D3/207; 70/456 R, 457

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 374,765 10/1996 Jones D3/212

D. 381,499 7/1997 Campbell D3/212
D. 388,953 1/1998 Hartmann et al. D3/212
2,589,349 3/1952 Diefenbach 70/456 R
5,511,390 4/1996 Mah 70/456 R

Primary Examiner—Brian N. Vinson

[57] **CLAIM**

The ornamental design for a magnetic key safe, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of the magnetic key safe;
FIG. 2 is a top view thereof;
FIG. 3 is a left side view thereof, the right side view being a mirror image;
FIG. 4 is a bottom view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a perspective view thereof; and,
FIG. 7 is a perspective view thereof, with cap removed.

1 Claim, 2 Drawing Sheets





Fig 1




Fig 2




Fig 4




Fig 3




Fig 5




Fig 6




Fig 7

