



US00D398073S

United States Patent [19] Kip

[11] **Patent Number: Des. 398,073**

[45] **Date of Patent: **Sep. 8, 1998**

[54] **HAIR DRYER WITH TEMPERATURE SENSOR**

D. 345,439 3/1994 Walker D28/13
D. 375,577 11/1996 Viemeister et al. D28/13
4,524,263 6/1985 Yamac 392/384 X

[75] Inventor: **Albart Johannes Kip**, Groningen, Netherlands

FOREIGN PATENT DOCUMENTS

188985 8/1987 Japan 392/385
5130915 5/1993 Japan .

[73] Assignee: **U.S. Philips Corporation**, New York, N.Y.

OTHER PUBLICATIONS

[**] Term: **14 Years**

Hong Kong Enterprise Oct. 1991, p. 844—item No. HD-188 on upper left.

[21] Appl. No.: **73,912**

Modern Salon Jun. 1987, p. 105—AIRWAVES Hairdryers.

[22] Filed: **Jul. 21, 1997**

Primary Examiner—Sandra L. Morris

[30] Foreign Application Priority Data

Assistant Examiner—C. Tuttle

Feb. 12, 1997 [XH] Hague Agreement DMA/003591

Attorney, Agent, or Firm—Ernestine C. Bartlett

[51] **LOC (6) Cl.** **28-03**

[57] CLAIM

[52] **U.S. Cl.** **D28/13**

The ornamental design for a hair dryer with temperature sensor, as shown.

[58] **Field of Search** D28/13-18; 34/96-98; 392/380, 383-385

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 256,280 8/1980 Haase D28/13
D. 263,427 3/1982 McBrien D28/13
D. 277,613 2/1985 Rittenhouse D28/13
D. 312,324 11/1990 Fromm D28/13
D. 343,698 1/1994 Sharples D28/13
D. 343,921 2/1994 Dimino D28/13

FIG. 1 is a perspective view showing my design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG. 6




FIG. 7