



US00D398073S

United States Patent [19] Kip

[11] **Patent Number: Des. 398,073**

[45] **Date of Patent: **Sep. 8, 1998**

[54] **HAIR DRYER WITH TEMPERATURE SENSOR**

D. 345,439 3/1994 Walker D28/13
D. 375,577 11/1996 Viemeister et al. D28/13
4,524,263 6/1985 Yamac 392/384 X

[75] Inventor: **Albart Johannes Kip**, Groningen, Netherlands

[73] Assignee: **U.S. Philips Corporation**, New York, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **73,912**

[22] Filed: **Jul. 21, 1997**

[30] **Foreign Application Priority Data**

Feb. 12, 1997 [XH] Hague Agreement DMA/003591

[51] **LOC (6) Cl. 28-03**

[52] **U.S. Cl. D28/13**

[58] **Field of Search D28/13-18; 34/96-98; 392/380, 383-385**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 256,280 8/1980 Haase D28/13
D. 263,427 3/1982 McBrien D28/13
D. 277,613 2/1985 Rittenhouse D28/13
D. 312,324 11/1990 Fromm D28/13
D. 343,698 1/1994 Sharples D28/13
D. 343,921 2/1994 Dimino D28/13

FOREIGN PATENT DOCUMENTS

188985 8/1987 Japan 392/385
5130915 5/1993 Japan .

OTHER PUBLICATIONS

Hong Kong Enterprise Oct. 1991, p. 844—item No. HD-188 on upper left.
Modern Salon Jun. 1987, p. 105—AIRWAVES Hairdryers.

Primary Examiner—Sandra L. Morris
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—Ernestine C. Bartlett


[57] **CLAIM**

The ornamental design for a hair dryer with temperature sensor, as shown.

DESCRIPTION

FIG. 1 is a perspective view showing my design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG. 6




FIG. 7