



US00D398103S

**United States Patent** [19]  
**Brown**

[11] **Patent Number: Des. 398,103**  
[45] **Date of Patent: \*\*Sep. 8, 1998**

[54] **LAUNDRY STATUS DISPLAY APPARATUS**

[76] Inventor: **John H. Brown**, 2718 N. Brompton Dr., Pearland, Tex. 77584

[\*\*] Term: **14 Years**

[21] Appl. No.: **65,602**

[22] Filed: **Jan. 30, 1997**

[51] **LOC (6) Cl.** ..... **15-05**

[52] **U.S. Cl.** ..... **D32/28**

[58] **Field of Search** ..... D20/10, 40, 42;  
D26/28-32; D32/1-6, 25, 28; 68/139, 140,  
142, 172, 173; 134/56 D, 57 D, 57 DL,  
58 DL, 58 R, 60, 93; 312/109

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 344,101	2/1994	DeRaffele et al.	.....	D20/10
D. 345,829	4/1994	Mancuso et al.	.....	D32/3
D. 355,675	2/1995	Craig et al.	.....	D20/10
D. 373,387	9/1996	Wu	.....	D20/10
D. 374,191	10/1996	Terrebonne et al.	.....	D20/10
D. 382,302	8/1997	Grinbaum	.....	D20/10

*Primary Examiner*—Sandra L. Morris  
*Assistant Examiner*—Mitchell I. Siegel

**1 Claim, 3 Drawing Sheets**

[57] **CLAIM**

The ornamental design for a laundry status display apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a front plan view of the laundry status display apparatus of the present invention;

FIG. 2 is a back plan view of the laundry status display apparatus of FIG. 1;

FIG. 3 is a left side plan view of the laundry status display apparatus of FIG. 1;

FIG. 4 is a right side plan view of the laundry status display apparatus of FIG. 1;

FIG. 5 is a top plan view of the laundry status display apparatus of FIG. 1; and,

FIG. 6 is a bottom plan view of the laundry status display apparatus of FIG. 1.

The broken away section of the power cord is due to indeterminate length.

The broken line showing of the words "RINSE CYCLE" is for illustrative purposes only and forms no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

