



US00D398161S

**United States Patent** [19]  
**Rosenbaum**

[11] **Patent Number: Des. 398,161**

[45] **Date of Patent: \*\*Sep. 15, 1998**

[54] **PORTABLE SAFETY CONTAINMENT  
DEVICE FOR A STANDING CHILD**

3,162,460 12/1964 Davidson ..... 280/31 X  
4,015,853 4/1977 Summers ..... 280/87.051

[76] Inventor: **Sharon M. Rosenbaum**, 15811 C.R.  
31, Mancos, Colo. 81328

**FOREIGN PATENT DOCUMENTS**

189108 4/1937 Switzerland ..... 280/87.051

[\*\*] Term: **14 Years**

*Primary Examiner*—James Gandy  
*Assistant Examiner*—Linda Brooks

[21] Appl. No.: **60,153**

[57] **CLAIM**

[22] Filed: **Sep. 23, 1996**

The ornamental design for a portable safety containment device for a standing child, as shown and described.

[51] **LOC (6) Cl.** ..... **06-01**

**DESCRIPTION**

[52] **U.S. Cl.** ..... **D6/333; D12/129**

[58] **Field of Search** ..... D6/329–333, 335;  
D12/128–130, 133; 135/67; 297/467; 280/30,  
31, 33, 994, 87.041, 87.051; 482/66–69;  
D21/191, 192, 71

FIG. 1 is an overall perspective view of a portable safety containment device for a standing child, showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is an elevational view, identical for both the right and left sides thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof; and,


FIG. 6 is a rear view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 148,552 2/1948 Marcus ..... D12/130  
D. 341,109 11/1993 Chuang ..... D12/130  
D. 358,791 5/1995 Cacciola et al. .... D12/130  
499,032 6/1893 Parnelli ..... 482/68

**1 Claim, 5 Drawing Sheets**








Fig. 1






Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6