



US00D398547S

United States Patent [19]

Arnoux et al.

[11] **Patent Number: Des. 398,547**

[45] **Date of Patent: **Sep. 22, 1998**

[54] **CLAMP-ON CURRENT PROBE**

5,610,512 3/1997 Selcuk 324/127

[75] Inventors: **Daniel Arnoux; Axel Arnoux; Claude Genter**, all of Paris, France

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—John L. Welch

[73] Assignee: **Societe Chauvin Arnoux**, France

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a clamp-on current probe, as shown.

[21] Appl. No.: **74,088**

DESCRIPTION

[22] Filed: **Jul. 28, 1997**

[51] **LOC (6) Cl.** **10-04**

[52] **U.S. Cl.** **D10/79**

[58] **Field of Search** D10/79; 324/115, 324/116, 121 R, 127; 336/175, 212; 439/136, 145


FIG. 1 is a right side elevational view of the clamp-on current probe according to our new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a front elevational view thereof, as seen from the right side of FIG. 1; and,
FIG. 6 is a rear elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 358,349 5/1995 Kuramoto D10/79

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5