US00D398564S

# United States Patent [19]

**Patterson**

[11] **Patent Number: Des. 398,564**

[45] **Date of Patent: **Sep. 22, 1998**

[54] **REMOVABLE STRUT FOR INSERTION BETWEEN THE FENDER AND WHEEL OF A MOTORCYCLE**

[75] Inventor: **Ronald P. Patterson**, Jamul, Calif.

[73] Assignee: **TSR Racing Products**, Jamul, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **64,288**

[22] Filed: **Dec. 26, 1996**

[51] **LOC (6) Cl.** ..... **12-10**

[52] **U.S. Cl.** ..... **D12/114**

[58] **Field of Search** ..... D12/114; 280/402, 280/754; 248/354.1, 354.3, 354.4

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---|---|---|---|
| D. 283,414 | 4/1986 | Shedden | D12/114 |
| D. 289,987 | 5/1987 | Junes | D12/114 |
| D. 324,664 | 3/1992 | Burnette | D12/114 |
| 4,441,736 | 4/1984 | Shedden | 280/754 |
| 4,684,097 | 8/1987 | Cox | 248/354.3 |

*Primary Examiner*—Melody N. Brown
*Attorney, Agent, or Firm*—Baker, Maxham, Jester & Meador


[57] **CLAIM**

The ornamental design for a removable strut for insertion between the fender and wheel of a motorcycle, as shown and described.

**DESCRIPTION**

FIG. **1** is a perspective view of a removable strut for insertion between the fender and wheel of a motorcycle;
FIG. **2** is a front elevation view of the removable strut of FIG. **1**;
FIG. **3** is a rear elevation view of the removable strut of FIG. **1**;
FIG. **4** is a side elevation view of the removable strut of FIG. **1** taken from the right side of FIG. **2**;
FIG. **5** is a side elevation view of the removable strut of FIG. **1** taken from the left side of FIG. **2**;
FIG. **6** is a top plan view of the removable strut of FIG. **1**; and,
FIG. **7** is a bottom plan view of the removable strut of FIG. **1**.

**1 Claim, 5 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7