



US00D398564S

United States Patent [19]
Patterson

[11] **Patent Number: Des. 398,564**

[45] **Date of Patent: **Sep. 22, 1998**

[54] **REMOVABLE STRUT FOR INSERTION BETWEEN THE FENDER AND WHEEL OF A MOTORCYCLE**

[75] Inventor: **Ronald P. Patterson**, Jamul, Calif.

[73] Assignee: **TSR Racing Products**, Jamul, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **64,288**

[22] Filed: **Dec. 26, 1996**

[51] **LOC (6) Cl.** **12-10**

[52] **U.S. Cl.** **D12/114**

[58] **Field of Search** D12/114; 280/402, 280/754; 248/354.1, 354.3, 354.4

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 283,414	4/1986	Shedden	D12/114
D. 289,987	5/1987	Junes	D12/114
D. 324,664	3/1992	Burnette	D12/114
4,441,736	4/1984	Shedden	280/754
4,684,097	8/1987	Cox	248/354.3

Primary Examiner—Melody N. Brown
Attorney, Agent, or Firm—Baker, Maxham, Jester & Meador


[57] **CLAIM**

The ornamental design for a removable strut for insertion between the fender and wheel of a motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a removable strut for insertion between the fender and wheel of a motorcycle; FIG. 2 is a front elevation view of the removable strut of FIG. 1; FIG. 3 is a rear elevation view of the removable strut of FIG. 1; FIG. 4 is a side elevation view of the removable strut of FIG. 1 taken from the right side of FIG. 2; FIG. 5 is a side elevation view of the removable strut of FIG. 1 taken from the left side of FIG. 2; FIG. 6 is a top plan view of the removable strut of FIG. 1; and, FIG. 7 is a bottom plan view of the removable strut of FIG. 1.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7