



US00D398838S

# United States Patent [19] Nielsen

[11] **Patent Number: Des. 398,838**

[45] **Date of Patent: \*\*Sep. 29, 1998**

[54] **GEL APPLICATOR**

[75] Inventor: **Peter Sylvest Nielsen**, Vaerloese, Denmark

[73] Assignee: **Coloplast A/S**, Humlebaek, Denmark

[\*\*] Term: **14 Years**

[21] Appl. No.: **75,219**

[22] Filed: **Aug. 21, 1997**

### [30] Foreign Application Priority Data

Feb. 21, 1997 [DK] Denmark ..... MA0224 1997

[51] **LOC (6) Cl.** ..... **09-01**

[52] **U.S. Cl.** ..... **D9/301; D9/435; D24/115**

[58] **Field of Search** ..... D9/300, 301, 447, D9/448, 503; D24/115; 222/206, 210, 212, 541.1, 541.5, 541.6, 541.9

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 286,856	11/1986	Anscomb	.....	D9/301
D. 288,006	1/1987	Bergstrom et al.	.....	D24/115
D. 344,132	2/1994	Schneberger et al.	.....	D9/301 X
4,566,613	1/1986	Anscomb	.....	222/541.9
4,640,440	2/1987	Ford, Jr. et al.	.....	222/210 X
4,966,312	10/1990	Waring	.....	222/210 X
5,137,183	8/1992	Mikulec et al.	.....	222/212 X
5,242,422	9/1993	Schneberger et al.	.....	222/206 X
5,678,736	10/1997	Hansen	.....	222/212 X

*Primary Examiner*—James Gandy  
*Assistant Examiner*—Cathron B. Matta  
*Attorney, Agent, or Firm*—Jacobson, Price, Holman & Stern, PLLC

### [57] CLAIM

The ornamental design for a gel applicator, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view showing my new design for a gel applicator;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a back view thereof;  
FIG. 6 is a left side view thereof;  
FIG. 7 is a right side view thereof;  
FIG. 8 is an exploded top plan view thereof showing the twist-off top removed;  
FIG. 9 is a top plan view thereof showing the twist-off top illustrated in FIG. 8 turned and inserted in the opening of the gel applicator; and,  
FIG. 10 is a perspective view showing another embodiment of my new design for a gel applicator.  
The embodiment of FIG. 10 differs from the embodiment of FIGS. 1–9 solely in the number of bellows in the oval portion of the design, eight bellows being illustrated in the embodiment of FIG. 10 and twelve bellows being illustrated in the embodiment of FIGS. 1–9.

**1 Claim, 5 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10

