



US00D399075S

United States Patent [19] Müntener

[11] **Patent Number:** **Des. 399,075**
[45] **Date of Patent:** ****Oct. 6, 1998**

[54] **DISPLAY UNIT**

[76] **Inventor:** **Kurt Müntener**, Fluchtstrasse 46,
32107 Bad Salzflun, Germany

[**] **Term:** **14 Years**

[21] **Appl. No.:** **70,115**

[22] **Filed:** **Apr. 30, 1997**

1,823,916	9/1931	Scoates	434/150
1,856,650	5/1932	McLintock et al.	434/150
2,189,955	2/1940	Hokerk	220/377
2,269,201	1/1942	Hokerk	220/662
3,048,301	8/1962	Arpin	220/377 X
3,363,902	1/1968	Jones	273/239
3,767,203	10/1973	Eaker	273/157 R
4,053,159	10/1977	Kulak	273/157 R
4,103,436	8/1978	Strussion et al.	428/13 X
5,580,252	12/1996	McCrary	273/239 X

Related U.S. Application Data

[62] Division of Ser. No. 30,030, Oct. 21, 1994, which is a division of Ser. No. 3,046, Dec. 28, 1992, Pat. No. Des. 359,635.

[51] **LOC (6) Cl.** **06-04**

[52] **U.S. Cl.** **D6/450**

[58] **Field of Search** D6/450, 451, 452, D6/434, 449; D9/307, 315; D3/270, 271, 304, 321; 434/150-152; D21/109, 104; D11/157, 133; D7/539, 515; D19/61; 273/157 R, 239, 273; 206/315.1, 457; 220/669, 662, 376, 377, 602, 670

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 26,705	3/1897	Hanson	D21/104
D. 102,805	1/1937	Smith	D19/61
D. 103,960	4/1937	Warshawsky	D6/434 X
D. 190,457	5/1961	Fleming	D19/61 X
D. 259,153	5/1981	Valente	D9/315
D. 265,866	8/1982	Levin	D9/307
D. 308,021	5/1990	Natori	D9/307 X
D. 323,978	2/1992	Etro	D9/307
D. 325,671	4/1992	Carranza	D9/307 X
D. 327,574	7/1992	Hoff	D3/270
D. 355,937	2/1995	Harkins, Jr.	D19/61 X
D. 370,998	6/1996	Butler	D9/307 X
D. 380,855	7/1997	Arshad	D11/157 X
1,339,251	5/1920	Yonemoto	273/157 R
1,339,399	5/1920	Kemp	273/157 R
1,506,979	9/1924	Foulks	434/150

OTHER PUBLICATIONS

Madmar Picture and Puzzle Map, National Map and Junior Series, 1932.

Primary Examiner—James Gandy
Assistant Examiner—Linda Brooks
Attorney, Agent, or Firm—Martin A. Farber

[57] **CLAIM**

The ornamental design for a display unit, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the display unit configured in the outline of a map of the United States of America in accordance with a first embodiment having a flat top;



FIG. 2 is a perspective view of the display unit configured in the outline of a map of the United States of America in accordance with a second embodiment having a flat top and transparent sidewalls; and,

FIG. 3 is a perspective view of the display unit configured in the outline of a map of the United States of America in accordance with a third embodiment having an open top and transparent sidewalls.

The bottom surface is flat and unornamented.

The inner and outer surfaces of the top and side walls of the display unit in FIGS. 1, 2 and 3 that are not visible are unornamented and follow the contours of the top and side edges.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3