



US00D399229S

# United States Patent [19]

[11] Patent Number: **Des. 399,229**

Solomon et al.

[45] Date of Patent: **\*\*Oct. 6, 1998**

[54] **FLASH CAMERA**

[75] Inventors: **Jeffrey A. Solomon, Spencerport;**  
**Steven S. Chapman, Corfu, both of**  
**N.Y.**

[73] Assignee: **Eastman Kodak Company, Rochester,**  
**N.Y.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **79,592**

[22] Filed: **Nov. 6, 1997**

[51] **LOC (6) Cl. .... 16-01**

[52] **U.S. Cl. .... D16/209**

[58] **Field of Search .... D16/200-205,**  
**D16/208, 209, 212, 213, 216-218; 396/61,**  
**535-543**

D. 375,512	11/1996	Chapman et al. ....	D16/219
D. 378,603	3/1997	Chapman et al. ....	D20/22
D. 378,767	4/1997	Chapman et al. ....	D20/22
D. 380,002	6/1997	Schelling .....	D16/209
D. 381,902	8/1997	Chapman et al. ....	D9/433
D. 386,773	11/1997	Smithborne .....	D16/209
D. 388,105	12/1997	Yamamoto .....	D16/202

*Primary Examiner*—Philip S. Hyder  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Robert Luke Walker

[57] **CLAIM**

The ornamental design for a flash camera, as shown and described.

**DESCRIPTION**



FIG. 1 is a front, top, right-side perspective view of a flash camera showing our new design, with a viewfinder mask shown in a first position;  
FIG. 2 is a rear, bottom, left-side perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a right-side elevation view thereof;  
FIG. 8 is a left-side elevation view thereof;  
FIG. 9 is the same view of the flash camera as FIG. 1, with the viewfinder mask shown in a second position;  
FIG. 10 is the same view of the flash camera as FIG. 3, with the viewfinder mask shown in a second position;  
FIG. 11 is the same view of the flash camera as FIG. 4, with the viewfinder mask shown in a second position;  
FIG. 12 is the same view of the flash camera as FIG. 5, with the viewfinder mask shown in a second position; and,  
FIG. 13 is the same view of the flash camera as FIG. 7, with the viewfinder mask shown in a second position.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 314,002	1/1991	Yoshida .....	D16/209
D. 315,916	4/1991	Leonard et al. ....	D16/218
D. 321,704	11/1991	Leonard et al. ....	D16/200
D. 343,847	2/1994	McBride et al. ....	D16/218
D. 356,590	3/1995	Schelling .....	D16/218
D. 364,561	11/1995	Chapman et al. ....	D9/415
D. 364,635	11/1995	Chapman et al. ....	D16/218
D. 367,283	2/1996	Lyon et al. ....	D16/208
D. 369,546	5/1996	Chapman et al. ....	D9/415
D. 369,820	5/1996	Chapman et al. ....	D16/209
D. 370,228	5/1996	Chapman et al. ....	D16/219
D. 370,685	6/1996	Chapman et al. ....	D16/219
D. 371,068	6/1996	Chapman et al. ....	D9/337
D. 371,069	6/1996	Chapman et al. ....	D9/337
D. 371,563	7/1996	Chapman et al. ....	D16/218
D. 373,308	9/1996	Chapman et al. ....	D9/415
D. 374,687	10/1996	Chapman et al. ....	D16/219
D. 374,881	10/1996	Chapman et al. ....	D16/218

**1 Claim, 13 Drawing Sheets**





*FIG. 1*




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7





*FIG. 8*




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13